
**Duration: 19.016 s** Start: Dec 28, 8:18:36.470 PM End: Dec 28, 8:18:55.486 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 10 SKIPPED - 0 SKIPPED - 0 SKIPPED - 17 28 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 35 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	19.016 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify checker can reject the budget code which is	28	10	1	17	19.005 s
	<u>feature</u>	approved by reviewer					

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 19.016 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 8:18:36.470 PI	M // 8:18:55.486 PM /	Pass - 0	1	Pass - 10	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

## (S)- To verify checker can reject the budget code which is approved by reviewer

FAILED	DURATION - 19.005 s	10	, ][	_			-											;	Steps		
/8:18:36.481	. PM // 8:18:55.486 PM /	8	1		- + -     + -	-		-	-1-	- + - ! - + -	- -		-	-1 -	- + - ! - + -	-	- + -    -  -	-	Total - 28		
		4			- + -	-			- -		-		-	-1-		-!			Pass - 10	28	
To check Budg	getDefinition moduel feature	2													-	-			Fail - 1		
@Multiauth C	hecker_rejectBudgetCode	0	-	_	=	<u> </u>	÷	<del>-</del>	÷	<del></del>	<del>+</del>	<del>+</del>	<del>+</del> -	÷			1 -		Skip - 17		<b>'</b>
_	_ ,			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.381 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		


#	Step / Hook Details	Status	Duration
	Prince Space Control Space Con		
3	And click on budget definition sub menu and click on eye icon	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.563 s
	screenshot		
	Part		
4	And click on add icon	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **	PASSED	0.269 s
5	Then enter budget code	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)*  **Ten_Step - step - ste	PASSED	0.115 s
6	And enter budget type	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

#	Step / Hook Details	Status	Duration
	# O ADDITIONAL STATE OF THE PARTY OF THE PAR		
7	And enter warning percentage	PASSED	0.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
	# On Anticomposition    The contract of the co		
8	And enter budget name	PASSED	0.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texastriction**  **Texastrictio	PASSED	0.160 s
9	Then give remark	PASSED	0.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.173 s
10	Then click on save button	PASSED	0.054 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		


Then choose our budget in main window and click on action button  org openga selenium NoSuchElementException: no such element: Unable to locate element:  ("method".ybapth".selector".ybapth".oslector".ybapth ("selector".ybapth".oslector".ybapth ("selector".ybapth".oslector".ybapth ("selector".ybapth".oslector".ybapth ("selector".ybapth".oslector".ybapth ("selector".ybapth".oslector".ybapth ("selector".ybapth".oslector".ybapth ("selector".ybapth".oslector.ybapth.oslector.ybap	#	Step / Hook Details	Status	Duration
org openga.selenium.NoSuchElementException: no such element: Unable to locate element:  "method":"xpath"; "selector":"/ispan contains(fext), 'BUD99709]/ancestor::datatable-body-cell[1]/i/ion-button"} (Session into: chrome-96.0.4664.45) for documentation on this error, please visit, thips://selenium.dev/exceptions/i/ino_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'IMMUVADP014584', ip: '10.147.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0, 'j.awa-version: '17.0.1' Driver info: org openga.selenium.chrome. ChromeDriver Command:  [19759b4a5ca1124ff28aa27f55a6cc5, findElement (using=xpath, value=/lspan contains(text), 'BUD98709]/Jancestor: datatable-body-cell/ parent:div/datatable-body-cell/[1/ion-button]) Capabilities (acceptinsecureCerts: false, browserName: ormose, browserVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45, feed.dbbzab46userptatable: Culsers\(\text{ININDDC-1VAppDatata}\), googchromeOptions: (debugger-dddress: localous:58142)_awascripftenablet true, neworkConnectionenablet' false, paget oadStrategy; normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost:58142/devtoo, secdp*version: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, imeouts: (implicit to, paget.oad: 300000, script: 30000), unhandledPrompBehavior: dismiss and notify, webauthin-extension:cedellob: true, webauthin-extensions.alregablob: true, webauthin-extensions.al		© househouses  ⊕ enterpolation  M		
Cossion into chomes-96 o J664.45   For documentation on this error, please visit https://selenium.dew/exceptions/ino_suc_element Build info: version: '4.0.0-rc.1; revision: '1.0.0-rc.1; revision: '1.7.0.1 Divers for documentation on this error, please visit https://selenium.dew/exceptions/ino_suc_element Build info: version: '4.0.0-rc.1; revision: '1.7.0.1 Divers info: org openga. selenium.dhrome. ChromeDriver Command: 19759b4a5ca1124ff28aa27f55a6cc5, indElement (using-xpath, value-//spanf.contains(text), (SILD98709))/ancestor: datatable-body-cell/pirion-button)   Capabilities (acceptinsecure-Certs: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45 (7.664c.1bb2ab46, userDatabir: CiUsersiNiNDC-14bpDatati), googchromeOptions: (debuggerAddress. localhost58142/3), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy.normal, platform: VINDOWS, platformName: VINDOWS, proxy: Proxy), sectly. vs/indownostelevietorio, sectly-potatal	11	Then choose our budget in main window and click on action button	FAILED	0.051 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.334 s		org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  ("method":"xpath"; selector"://spanfcontains(textf). BUD98709)/Jancestor:.datatable-body-cell/prarent::div/datatable-body-cell[1]//ion-button") (Session info: chrome=960. 4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511.chda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [19759b4a5ca112aff/28aa27f55a6cc5, findElement (using=xpath, value=//span(contains(textf). BUD98709])/Jancestor::datatable-body-cell/parent::div/datatable-body-cell/ji/Jion-button] (Sapabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, cfeet-olbo2ab46 userDatablir: C.USersNININDC-11AppDatalL), goog:chromeOptions: (debuggerAddress: localhost.581424), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal. platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost.58142/devtoo, se:cdpVersion: 96.0.4664.45, setVindowRect: true, strict:lieInterractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:drate and notify. at java.base/jdx.internal.reflect.NativeConstructorAccessorImpl.newInstance(OnstructorAccessorImpl.java:77) at java.base/jdx.internal.reflect.NativeConstructor.rewInstance(VinterConstructorAccessorImpl.java:19) at java.base/jdx.internal.reflect.Constructor.newInstance(VinterConstructor) at java.base/jdx.alang.reflect.Constructor.newInstance(VinterConstructor) at java.base/jdx.alang.reflect.Constructor.n		
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s

#	Step / Hook Details	Status	Duration
	Part   Part		
12	Then click on submit button	SKIPPED	0.001 s
13	And enter remark in alert tab	SKIPPED	0.000 s
14	And click on submit	SKIPPED	0.000 s
15	When click on submit button save the reviewer id	SKIPPED	0.000 s
16	Given navigate to URL and login as a reviewer	SKIPPED	0.000 s
17	Then click on notification icon	SKIPPED	0.000 s
18	And click on action button	SKIPPED	0.001 s
19	And approve the record in reviewer stage	SKIPPED	0.000 s
20	Then enter remark then submit	SKIPPED	0.001 s
21	Given navigate to URL and login as a checker	SKIPPED	0.000 s
22	Then click on security management menu	SKIPPED	0.000 s
23	And click on Action icon user security management	SKIPPED	0.000 s
24	And clime the record in reviewer stage	SKIPPED	0.000 s
25	Then click on notification in checker stage	SKIPPED	0.001 s
26	And click on action icon	SKIPPED	0.000 s
27	Then reject the record	SKIPPED	0.000 s
28	And write negative remark and submit it	SKIPPED	0.001 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

