

Cucumber Report

Mar 31, 2022, 6:36:45 AM

Start : Mar 31, 6:36:28.840 AM

End : Mar 31, 6:36:44.424 AM

Duration : 15.584 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 6

FAILED - 1

SKIPPED - 8







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Checking the Fixed Asset functionality</u> | 1 | 0 | 1 | 0 | 15.584 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|----|---|---|---|----------|
| 1 | <u>Checking the Fixed Asset functionality</u> | <u>Asset Category should be created and visible in the list view of Asset category sub-module</u> | 15 | 6 | 1 | 8 | 15.581 s |

(F)- Checking the Fixed Asset functionality


| | | | | | |
|--------------------------------------|----------------------------|--|---|---|---|
| FAILED | DURATION - 15.584 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 15 Pass - 6 Fail - 1 Skip - 8 |  |
| / 6:36:28.840 AM // 6:36:44.424 AM / | | | | | |


(S)- Asset Category should be created and visible in the list view of Asset category sub-module

| | | | | |
|--|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 15.581 s</div> | | <div></div> | <div>Steps</div> <div>Total - 15</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 8</div> | <div></div> |
| / 6:36:28.843 AM // 6:36:44.424 AM / | | | | |
| Checking the Fixed Asset functionality | | | | |
| @KUBS_FAT_UAT_002_002 @MultiAuth | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Maker Navigate to UAT URL login | PASSED | 8.795 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.177 s |
| | screenshot | | |
| |  | | |
| 2 | Then Click on Fixed Asset Direction icon | PASSED | 0.128 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.308 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then Click on Fixed assets configuration | PASSED | 0.083 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.146 s |
| | screenshot  | | |
| 4 | Then Click on Asset Category Eye button | PASSED | 0.150 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.246 s |
| | screenshot  | | |
| 5 | Then Click on Fixed Asset Add button | PASSED | 0.177 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.183 s |
| | screenshot  | | |
| 6 | Then Fill Asset Category Mandatory fields | PASSED | 0.885 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.134 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 7 | <p>Then Click on Fixed Asset Save button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [84e42f75b9425ae6b9c2cc9c134716bc, clickElement {id=0f4f1255-b1cc-4a20-9630-8ab869ed8416}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog.chromeOptions: {debuggerAddress: localhost:57954}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57954/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (84e42f75b9425ae6b9c2cc9c134716bc)] -> xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 84e42f75b9425ae6b9c2cc9c134716bc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FixedAsset_AssetCategory.click_on_fixed_asset_save_button(FixedAsset_AssetCategory.java:125)</pre> | FAILED | 1.099 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at ?.Click on Fixed Asset Save button(file:///C:/Users/inindc00089/git/AzentioAutomationFrameworkMaster_New2/AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetCategory.feature:12) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | | |
| | screenshot | PASSED | 0.085 s |
| |  | | |
| 8 | Then Click on Fixed Asset Notification | SKIPPED | 0.000 s |
| 9 | And Select and Submit the record | SKIPPED | 0.000 s |
| 10 | Then log in to the reviewer account | SKIPPED | 0.000 s |
| 11 | Then click on the Notification select the record and Approve | SKIPPED | 0.000 s |
| 12 | Then log in to the Checker Account | SKIPPED | 0.000 s |
| 13 | And then checker claim the record | SKIPPED | 0.000 s |
| 14 | Then click on the checker Notification | SKIPPED | 0.000 s |
| 15 | And select the record and Approve by checker | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Category should be created and
visible in the list view of Asset category
sub-module


(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Category should be created and
visible in the list view of Asset category
sub-module

(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Category should be created and visible in the list view of Asset category sub-module

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Category should be created and visible in the list view of Asset category sub-module

(F) Checking the Fixed Asset functionality

| Actions | Asset Code | Category | Sub Category | Item Category | Status |
|---------|---------------------------|-----------------------|-----------------|------------------|--------|
| | ELECTRONICS-LAP001-LAPT | computer & laptop | Laptops | LAPTOPS | Active |
| | MACHINARY-AIRCONDITIONE | Machinery | Air Conditioner | payment | Active |
| | ELECTRONICS-LAP001-mobil | computer & laptop | Laptops | mobile | Active |
| | 01-ASTSBCTGRY001-Big | Furnitures & Fixtures | CABINETS | Big | Active |
| | 01-ASTSBCTGRY001-Small | Furnitures & Fixtures | CABINETS | Small | Active |
| | 01-001-Table and Chairs | Furnitures & Fixtures | Table & Chair | Table and Chairs | Active |
| | ELECTRONICS-LAP001-Freed | computer & laptop | Laptops | Freedom255 | Active |
| | LAND-LAND-Land-SBI-Bhilai | Land & Building | Land | Land-SBI-Bhilai | Active |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Category should be created and
visible in the list view of Asset category
sub-module

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

ASSET_CATEGORY

* Asset Category * Asset Sub Category * Asset Item category

* Asset Description

Asset category

Asset code configuration

Branch level depreciation

Asset GL configuration

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Category should be created and
visible in the list view of Asset category
sub-module

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

ASSET_CATEGORY

* Asset Category * Asset Sub Category * Asset Item category

Furnitures & Fixtures x

* Asset Description
woodply1

Asset category

Asset code configuration

Branch level depreciation

Asset GL configuration

22 Appro... 11 Messa...

Asset Code is already exist

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Category should be created and
visible in the list view of Asset category
sub-module

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

ASSET_CATEGORY

* Asset Category Fumitures & Fixtures x

* Asset Sub Category

* Asset Item category

* Asset Description woodply1|

Asset category

Asset code configuration

Branch level depreciation

Asset GL configuration

22 Appro... 11 Messa...

Asset Code is already exist !!!!