

Cucumber Report

Nov 7, 2022, 7:58:57 PM

Start : Nov 07, 7:58:30.733 PM

End : Nov 07, 7:58:56.259 PM

Duration : 25.526 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	25.526 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create GRN against above create PO for above vendor	16	5	1	10	25.522 s




(F)- AR/AP Module


FAILED	DURATION - 25.526 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 5 Fail - 1 Skip - 10	
/ 7:58:30.733 PM // 7:58:56.259 PM /					

(S)- Create GRN against above create PO for above vendor

<div>FAILED</div> <div>DURATION - 25.522 s</div>		<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 10</div>	<div></div>
<div>/ 7:58:30.737 PM // 7:58:56.259 PM /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR/AP_UAT_001_001_TC_003_01</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	11.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	2.464 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
			
4	Then Click on Good Recived Note GRN Add button	PASSED	1.495 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
			
5	And user update the data set ID for GRN	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
			
6	Then Fill the form for GRN	FAILED	2.010 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1895, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc551cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4090ec4340ec567b4012fa9c43174ccf, clickElement {id=4b7e66ee-0363-4f50-8023-7eea54f2e4bf}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\lNINDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62923}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62923/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS	FAILED	2.010 s


#	Step / Hook Details	Status	Duration
	<p>(4090ec4340ec567b4012fa9c43174ccf) -> xpath: (//ion-buttons[2]/ion-button[1])[2]] Session ID: 4090ec4340ec567b4012fa9c43174ccf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountsPayable_GRN.fill_the_form_for_grn(AccountsPayable_GRN.java:92) at ?.Fill the form for GRN(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:85)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.128 s
7	Then click on the Notification icon	SKIPPED	0.000 s
8	Then Search the grn record	SKIPPED	0.000 s
9	And open the grn record	SKIPPED	0.000 s
10	Then Click on Item Details Tab	SKIPPED	0.000 s
11	Then Select PO Number	SKIPPED	0.000 s
12	Then Add qty received qty approved	SKIPPED	0.000 s
13	And Save the Record from maker	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	Then click on the Notification icon	SKIPPED	0.000 s
15	Then store the Reference ID and open the GRN record	SKIPPED	0.000 s
16	Then click submit and enter remark for GRN record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) AR/AP Module

The screenshot shows the AZENTIO ONEBanking GRN (Goods Received Note) form. The form includes fields for BP Name, GRN Number, Invoice Number, Delivery Location, and a section for uploading the delivery challan. There is a 'Choose File' button and a 'No file chosen' message. A 'DOWNLOAD' button is also present. The form also has fields for GRN Status, TXT Status, and a Remark section. The top right corner shows the date '14-Sep-2023' and user information.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) AR/AP Module

AZENTIO
ONEBanking

14-Sep-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN

* BP Name GRN Number * Invoice Number

* GRN Date 14-Sep-2023 GRN Amount INR * Delivery Location

Upload Delivery challan No file chosen

GRN Status Active TXT Status

Remark

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) AR/AP Module

AZENTIO
ONEBanking

14-Sep-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN

* BP Name DELUXE 001 * BP Branch DADAR BRANCH GRN Number

* Invoice Number INV00011 * GRN Date 14-Sep-2023 GRN Amount INR

* Delivery Location Azentio Main Branch Upload Delivery challan No file chosen

GRN Status Active TXT Status

Remark