


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	0	1	0	30.360 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1	Creation of Accounting Books for custom templet	40	9	1	30	30.355 s
	Module						

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL1 Module

FAILED	DURATION - 30.360 s	Scenarios		Steps	
		Total - 1		Total - 40	
/ 12:46:58.032 pi	m // 12:47:28.392 pm /	Pass - 0	1	Pass - 9	40 💳
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	

(S)- Creation of Accounting Books for custom templet



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	16.033 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
	■ Particularity State Particularity State		
2	And Click on Accounting Setup module	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		

The Click sub module Accounting book definition	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Fine Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.448 s O.448 s O.451 s O.451 s O.251 s O.263 s O.26		The control of the		
screenshot And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s	3	•	PASSED	
And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.448 s
And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND CONTROL OF THE PASSED OLIVE SCHOOL OF THE PASSED OLIVE SCHOOL OLIVE SC		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.263 s 0.394 s 0.172 s		-		
screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s	4	And Click on Add icon	PASSED	0.251 s
Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Enter Another Book Name AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s 0.172 s 0.172 s 0.172 s 0.172 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s PASSED 0.172 s PASSED 0.182 s		- Section 5 e		
Screenshot 6 And Enter Another Book Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s 0.182 s	5	Then Choose the Template Type of Custom Template	PASSED	0.394 s
6 And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s 0.182 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
6 And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s 0.182 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s		© pursarse		
	6	And Enter Another Book Name	PASSED	0.193 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
		screenshot		


#	Step / Hook Details	Status	Duration
	■ Particular Section © ■ Particular Section		
7	Then Select system date as Effective date	PASSED	1.674 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
	No. No.		
8	And Choose the Book Type what you Need	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	Screenshot **********************************		
9	Then Enter the Remark	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.175 s
10	And Save the Record	FAILED	1.211 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration
	name: Windows 10; os. arch: 'amd64'; os. version: '10.0', java version: '17.0.1' Driver info: org.openga. selenium.chrome.ChromeDriver Command: [15.14438564bb54915c6115fbb5c5e014, clickElement [id=abb1742d-8fd5-40c2-873a-1.1df9c1ceecr)] Capabilities (acceptinsecureCents: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: (chromedriverVersion: 101.0.4951.41 (93c720db823, userDataDir. C'Ulsers\(in\)INIDOC-1\AppDataL}; goog:chromeOptions: (debuggerAddress: localhost:54673); javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy. Proxy(), se:cdp: ws://localhost:54673/devtoo, se:cdpVersion: 101.0.4951.54, set\(in\)Inidocute. (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthnextension:credBlob: true, webauthnextension.largeBlob: true, and a java.base/java.lang.reflect.NativeConstructor.newinstanceConstructor.java.480) at java.base/java.lang.reflect.Constructor.newinstanceConstructor.java.480) at org.openga.selenium.remote.codec.w3c.w3c.HttpResponseCodec.decode(W3CHtt		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.116 s
	SCIENTIAL Variable Variable		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
11	And click notification button	SKIPPED	0.000 s
12	Then choose first record in the notification record	SKIPPED	0.001 s
13	And click on Submit button	SKIPPED	0.000 s
14	Then enter remark in confirmation alert	SKIPPED	0.000 s
15	Then click on submit button in alert	SKIPPED	0.000 s
16	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
17	Then logout from maker	SKIPPED	0.000 s
18	And login with reviewer credentials	SKIPPED	0.001 s
19	Then click on notification button	SKIPPED	0.000 s
20	And select our record in notification records using reference ID	SKIPPED	0.000 s
21	Then Approve the record from reviewer	SKIPPED	0.000 s
22	And enter the remark in alert	SKIPPED	0.000 s
23	Then click on submit in alert	SKIPPED	0.000 s
24	Then verify the approval status of the record	SKIPPED	0.000 s
25	And logout from reviewer	SKIPPED	0.000 s
26	Then login as a checker	SKIPPED	0.000 s
27	And click on security management menu in checker	SKIPPED	0.000 s
28	Then click on action button under security management menu	SKIPPED	0.001 s
29	And select our record and clime using reference ID	SKIPPED	0.000 s
30	Then click on Notification button	SKIPPED	0.000 s
31	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
32	And click on approve button in checker stage	SKIPPED	0.001 s
33	Then give alert remark	SKIPPED	0.000 s
34	Then click on submit button on alert	SKIPPED	0.000 s
35	And verify the record got approved from checker	SKIPPED	0.000 s
36	Given Navigate to Azentio Kubs	SKIPPED	0.001 s
37	And Click on Accounting Setup module	SKIPPED	0.000 s
38	Then Click sub module Accounting book definition	SKIPPED	0.001 s
39	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
40	And System should Generate unique code	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

