
Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 31.695 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify creating Bill is not allowed if YTD amount for expense	6	5	1	0	1 m 31.686 s
		exceeds mapped budget code limit.					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 1 m 31.695 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 3:58:07.492	AM // 3:59:39.187 AM /	Pass - 0	1	Pass - 5	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit.

FAILED DURATION - 1 m 31.686 s			_				1							\neg	Steps			
/ 3:58:07.501 AM // 3:59:39.187 AM /	20 -						Ţ.	 	 			 			Total - 6			
7 3.33.33.33.33.7 7 107	10 -	-	-	-				 	 	ļ	 ı	 			Pass - 5		6	1
AR/AP Module	5 -		-	-	-	-	ļ.	 	 	ļ	 ▐	 	<u>-</u> -		Fail - 1	I.	ŭ	J
@KUBS_AR/AP_UAT_013_001_TC_05	0 -						-	 -	 		 _	 			Skip - 0	\ `		
				1			2	3		4	5		6					


#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	21.725 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	4.012 s
	screenshot		
	100 00 1 100 00 100 00 0 0 0 0 00 00 00		
2	And user should navigate to accounts payable menu	PASSED	1.836 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	screenshot		


#	Step / Hook Details	Status	Duration
	State of the state		
3	When click on eye button of invoice booking	PASSED	1.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.317 s
4	And click on add button for invoice booking	PASSED	0.634 s
<u> </u>	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.930 s
	Screenshot	_	
5	And Fill the required fields for invoice booking with exceeded amount	PASSED	23.446 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.218 s
6	Then Save and submit the invoice billing with exceeded amount	FAILED	3.187 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button class="ng-star-inserted ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated" color="primary" ng-reflect-color="primary" ng-reflect-disabled="false"></ion-button> is not clickable at point (1413, 145). Other element would receive the click: <ion-backdrop class="sc-ion-popover-md md hydrated" style="" tabindex="-1"></ion-backdrop> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2867b7f235cb84333de6d247e79b7ec3, clickElement (ld-9d237e7d-e17e-40a9-9763-5078c36dc27b] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, (76e4c1bb2ab46, userDataDir: C.\UserSil\NiNDC-1\AppData\L), goog:chromeOptions: (debuggerAddress: localhost:55853), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: \text{ViNDOWS}, platformName: \text{ViNDOWS}, proxy: Proxy(), secdp: \text{ws://localhost:55853/devtoo}, secdp\text{version: 96.0.4664.45}, setWindowRect: true, strictFielInteractability: false, inneous: (implicit: 0, pageLoad: 300000, sept:0000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:oredBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on \text{VINDOWS} (2867b7t235cb84333de6d247e79b7ec3)] -> xpath: \text{//ion-toolbar/ion-buttons[1]/on-button[1]/[2]]} Session ID: 2867b7t235cb84333de6d247e79b7ec3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.evenuce.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:134) at org.openqa.selenium.remote.evenuce.DriverCommandExecutor.evecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.commandExecutor.evecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.eve		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.151 s
	The state of the s		

EXPANDED SECTION -- 7





EXPANDED SECTION -- 9 --

