
Cucumber Report




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Budget Transfer	1	0	1	0	2 m 9.838 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Budget Transfer	To verify the impact if checker1 user select, view and	11	8	1	2	2 m 9.833 s
		approve the Budget Transfer record submitted by maker user					

DETAILED SECTION -- 4 --

(F)- Budget Transfer

FAILED	DURATION - 2 m 9.838 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 6:07:51.350 A	M // 6:10:01.188 AM /	Pass - 0	1	Pass - 8	11 📕 📗
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- To verify the impact if checker1 user select, view and approve the Budget Transfer record submitted by maker user

FAILED DURATION - 2 m 9.833 s	25	7	1			7			-			-						-													7	S	te	วร]
/ 6:07:51.355 AM // 6:10:01.188 AM /	20	Ш		t	 i	 + 1	-	-	- -			+ 1 1	-	-	-			7 - 7		-	 			-	-	-	-	-		-		Т	ota	ıl -	11		7				١		L		
	10	Ш	-		 i 	 1 +	_	_	- -		-	+	_	_	_	_	-	-	_		 					-	 -	_		-	-	Р	as:	S -	8			1	1	1		١		١	
Budget Transfer	5	+	-	ŀ	 	 +	-	-	- -	-		1	-	-		ŀ		-	-	-	 	-	-		-	-	-	-	-	-	-	F						١			1	4	,	,	
@BP_BT_05_03 @Multiauth	0	-1 F		1	 2	 3	_		4			5	_	_	6			7		_	-	_		9		-	10		-	1	-	S	kip	- 2	2						1				


#	Step / Hook Details	Status	Duration
1	Given navigate to kubs url and login as maker user	PASSED	24.562 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.568 s
	screenshot		
	■ © CANDINGUARMAN CONTROL OF ■ 0 OFFI CANDING CANDING CONTROL OF ■ 0 OFFI CANDING CONTROL OF ■ 0 OFFI CANDING CONTROL OFFI CANDING CONTROL OFFI CANDING CONTROL OFFI CAN		
2	Then select budget menu	PASSED	2.649 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTE	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then click on add button to create record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And fill the required field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And fill the required field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 9.020 s PASSED 9.036 s				
screenshot Then click on add button to create record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 9.020 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.362 s	3		PASSED	
Then click on add button to create record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) And fill the required field AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.882 s
Then click on add button to create record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And fill the required field Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And fill the required field Apssed Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Apssed Aps		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And fill the required field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 9.020 s PASSED 0.362 s		The contract The		
screenshot Affill the required field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then save and submit by maker to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 9.020 s PASSED 0.362 s	4	Then click on add button to create record	PASSED	0.295 s
And fill the required field AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then save and submit by maker to transfer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 9.020 s PASSED 9.020 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.256 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 9.020 s PASSED 0.273 s		B © Contramentarium Ambrez Eggin - Constitute Apparent © B © contramentarium Ambrez Eggin - Constitute Apparent © B © contramentarium Ambrez Eggin - Constitute Apparent © Constitute Apparent O B © contramentarium Ambrez Eggin - Constitute Apparent O B © contramentarium Ambrez Eg	_	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 9.020 s PASSED 0.273 s	5	And fill the required field	PASSED	2.934 s
Screenshot 6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.362 s	-			
6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.362 s			1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.362 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.362 s	6	Then save and submit by maker to transfer	PASSED	9.020 s
screenshot			PASSED	0.362 s
		screenshot		

#	Step / Hook Details	Status	Duration
	Part Part		
7	And Navigate to Url and login as a reviewer	PASSED	0.011 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
8	Then Click on Notification button	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.483 s
	screenshot		
	10 10 10 10 10 10 10 10		
9	And validate the data submitted by maker to checker1	FAILED	2.051 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'539')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell/div/ion-buttons/ion-buttons"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [573d11c1cdc8777e9115a25ef09efe32, findElement {using=xpath, value=//span[contains(text(),'539')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell/div/ion-buttons/ion-button]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80} (7f0488e8ba0d8, userDataDir: C:\Users\ NINDC-1\AppData\ L\}, goog::chromeOptions: {debuggerAddress: localhost:52366}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se::cdp: ws://localhost:52366/devtoo, se::cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 573d11c1cdc8777e9115a25ef09efe32 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$Element(Finder\$2.findElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.BUDGET_BudgetTransfer.validate_the_data_submitted_by_maker_to_checker1(BUDGET_BudgetTransfer.java:246) at ?.validate the data submitted by maker to checker1(file:///C:/Users/inindc00091/git/AzentioAutomationFramework/src/test/java/features/BUDGET_BudgetTransfer.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.470 s
10	1	CKIDDED	0.001.0
10	Then approve the record by reviewer	SKIPPED	0.001 s 0.000 s
11	And reviewer user logout	SKIPPED	0.000 S

EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --

