


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|-------------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 1 m 1.888 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|--|----|----|---|---|-------------|
| 1 | AR/AP Module | PO should be created successfully and displayed in | 16 | 14 | 1 | 1 | 1 m 1.884 s |
| | | approved queue with Active Status | | | | | |

DETAILED SECTION

(F)- AR/AP Module

| FAILED | DURATION - 1 m 1.888 s | Scenarios | | Steps | |
|------------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 16 | |
| / 1:49:04.080 PN | 1 // 1:50:05.968 PM / | Pass - 0 | 1 | Pass - 14 | 16 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |

(S)- PO should be created successfully and displayed in approved queue with Active Status



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 14.361 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.266 s |
| | screenshot | | |
| | | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 2.471 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.191 s |
| | screenshot | | |
| | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|-------------|
| 3 | Then Click on purchase order Eye Icon | PASSED | 0.386 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.232 s |
| | screenshot | | |
| | + | | |
| 4 | Then Click on purchase order Add button | PASSED | 1.514 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.240 s |
| | screenshot | | |
| | Autority Park Par | | |
| 5 | And user update the data set ID for Purchase Order | PASSED | 0.002 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.126 s |
| | screenshot | | |
| | | | |
| 6 | Then Fill purchase order Mandatory fields | PASSED | 12.826 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.154 s |
| | screenshot | | |
| | | | |
| 7 | Then Click on Account Payable Save button | PASSED | 0.075 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.146 s |
| | screenshot | | |
| | | - | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | For the same states of the States and States | | |
| 8 | Then close the confrimation msg | PASSED | 1.107 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.234 s |
| | screenshot | | |
| | ### ### ### ### ### ### ### ### ### ## | | |
| 9 | Then Click on Item Details Record | PASSED | 2.076 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | screenshot | | |
| | ### ### ### ### ### ### ### ### ### ## | | |
| 10 | And user update the data set ID for Purchase Order | PASSED | 0.001 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.251 s |
| | screenshot | | |
| | + | | |
| 11 | Then Edit the item details fields | PASSED | 9.039 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.155 s |
| | screenshot |] | |
| | Solice Hallot | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | ACCOUNT PART OF THE PART OF TH | | |
| 12 | Then Click on Account Payable Save button | PASSED | 0.068 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.158 s |
| | screenshot | | |
| | | | |
| 13 | Then click on the Notification icon | PASSED | 1.665 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.191 s |
| | screenshot | | |
| | Company Comp | | |
| 14 | Then Search purchase order record in List | PASSED | 3.690 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.146 s |
| | screenshot | | |
| | | | |
| 15 | Then Select the record from Notification | FAILED | 0.065 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'null')]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [7d032657a1908c1abb0e6bdc8e5eef4d, findElement {using=xpath, value=//span[contains(text(),'null')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| # | {debuggerAddress: localhost:57777}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57777/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7d032657a1908c1abb0e6bdc8e5eef4d at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | Status | Duration |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at ?.Select the record from Notification(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:81) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.156 s |
| | screenshot |] | |
| | ### 14 10 10 10 10 10 10 10 10 10 10 10 10 10 | | |
| 16 | And Submit the Selected record | SKIPPED | 0.001 s |


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



(S) PO should be created successfully and displayed in approved queue with Active Status

(F) AR/AP Module



EXPANDED SECTION -- 13 --

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

