

## **Cucumber Report**



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	53.247 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create GRN against above create PO for above vendor	16	12	1	3	53.244 s

## (F)- AR/AP Module

FAILED	DURATION - 53.247 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 8:00:03.062 PM	1 // 8:00:56.309 PM /	Pass - 0	1	Pass - 12	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

## (S)- Create GRN against above create PO for above vendor



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	11.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	2.488 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
	That the value state of the control		

#	Step / Hook Details	Status	Duration
3	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.374 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.491 s
	screenshot		
	+		
4	Then Click on Good Recived Note GRN Add button	PASSED	1.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
5	And user update the data set ID for GRN	PASSED	0.002 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
6	Then Fill the form for GRN	PASSED	2.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
7	Then click on the Notification icon	PASSED	20.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
		-	-


8 Then Search the grn record PASSED 2.799 s AFTER_STEP_Stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And open the grn record PASSED 0.123 s  FATER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And open the grn record PASSED 0.079 s  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And open the grn record PASSED 0.079 s  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And open the grn record PASSED 0.079 s  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 ANSED 0.578 s  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 ASSED 0.520 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And open the grn record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Item Details Tab  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.161 s  PASSED  0.578 s  PASSED  0.162 s  Then Select PO Number  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.520 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.162 s		A		
screenshot  9 And open the grn record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click on Item Details Tab  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  0.578 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  0.520 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.520 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.520 s	8	Then Search the grn record	PASSED	2.799 s
9 And open the gm record		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.161 s  Then Click on Item Details Tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Select PO Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.578 s  0.162 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.161 s  Then Click on Item Details Tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Select PO Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.578 s  0.162 s		A		
screenshot  10 Then Click on Item Details Tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  11 Then Select PO Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.578 s  0.162 s	9	And open the grn record	PASSED	0.079 s
10 Then Click on Item Details Tab PASSED 0.578 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  11 Then Select PO Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.520 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.162 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
10 Then Click on Item Details Tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  11 Then Select PO Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.578 s  0.162 s  PASSED  0.162 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  11 Then Select PO Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.162 s  0.162 s		A		
Screenshot  11 Then Select PO Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.520 s  PASSED  0.162 s	10	Then Click on Item Details Tab	PASSED	0.578 s
11 Then Select PO Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.520 s  PASSED  0.162 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.162 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.162 s		NAME OF THE PROPERTY OF THE PR		
	11	Then Select PO Number	PASSED	0.520 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
		screenshot	]	

#	Step / Hook Details	Status	Duration
12	Then Add qty received qty approved	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.159 s
13	And Save the Record from maker	FAILED	2.190 s
	java.lang.AssertionError: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b3f65bede7db4c0002de94ad5c8b2e9, executeScript {script=return document.querySelector("ion-toast").shadowRoot. querySelector("div[class='toast-message']").innerText, args=[]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L goog:chromeOptions: {debuggerAddress: localhost:63035}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63035/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1b3f65bede7db4c0002de94ad5c8b2e9  at org.testng.Assert.fail(Assert.java:99)  at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.save_the_record_from_maker(ACCOUNTSPAYABLE_VendorContracts.java:312)  at ?.Save the Record from maker(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:92)  * Not displayable characters are replaced by '?'.	DACCED	0.211.6
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.211 s
14	Then click on the Notification icon	SKIPPED	0.000 s

DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
15	Then store the Reference ID and open the GRN record	SKIPPED	0.000 s
16	Then click submit and enter remark for GRN record	SKIPPED	0.000 s


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create GRN against above create PO for above vendor (F) AR/AP Module AZENTIO 14-Sep-2023 English \* Azentio Software \* (AZENTMAIN) \* ANANT (Step) AFTER\_STEP - stepdefinitions. **ONE**Banking Finance HooksClass.addScreenshot(io.cucumber. ← GRN View java.Scenario) **O**/ 20-Oct-2022 **O**/ Budget 0 / 21-Oct-2022 ACTIVE AZENTMAIN - Azentio GRN-Bank-9-56-201( Shasheekant 10-Sep-2023 20-Oct-2022 1002437 AZENTMAIN - Azentio GRN-null-55-191020; Flutura Manufacturing 10-Sep-2023 19-Oct-2022 **O**/ 19-Oct-2022 AZENTMAIN - Azentio GRN-Bank-9-52-1310 Shasheekant 13-Oct-2022 10-Sep-2023 (S) Create GRN against above create PO **O**/ AZENTMAIN - Azentio GRN-Bank-9-51-1310 Shasheekant 13-Oct-2022 for above vendor **७** ☑ 🛍 **७** ☑ **७** ☑ 🛍 ⑤ ☑ 🛍 © **☑** 🛍 (F) AR/AP Module onse 🕒 🗹 🛍







EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

