

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	20.194 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify maker can able to create budget code with invalid	12	12	0	0	20.181 s
	feature	details					

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 20.194 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 11:31:35.475 A	M // 11:31:55.669 AM /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify maker can able to create budget code with invalid details



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.043 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.525 s
	screenshot		
	© Continue		
2	Then click on budget configuration Menu	PASSED	0.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		


3 And click on budget definition sub menu and click on eye icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 4 And click on add icon AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) 5 Then enter budget code which is already exist AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) 5 Then enter budget code which is already exist AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) 5 AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) 5 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 6 And enter budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) A	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter budget code which is already exist AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.453 s 0.453 s 0.453 s 0.453 s 0.265 s		The control of the		
screenshot 4 And click on add icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 Then enter budget code which is already exist AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.287 s 0.287 s	3	And click on budget definition sub menu and click on eye icon	PASSED	0.165 s
And click on add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter budget code which is already exist AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.453 s
4 And click on add icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then enter budget code which is already exist AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) APASSED APASS		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter budget code which is already exist AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.287 s 0.100 s PASSED 0.100 s 0.102 s 0.103 s 0.265 s		© 1000 mm 1 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
screenshot Then enter budget code which is already exist AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And enter budget type And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.100 s 0.169 s 0.169 s 0.169 s 0.169 s 0.169 s	4	And click on add icon	PASSED	0.156 s
Then enter budget code which is already exist AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.100 s PASSED O.169 s PASSED O.343 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.225 s			PASSED	0.287 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s PASSED 0.343 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s		0		
Screenshot 6 And enter budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s 0.225 s	5	Then enter budget code which is already exist	PASSED	0.100 s
6 And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s 0.225 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
6 And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s 0.225 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s		0 Institution		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s	6	And enter budget type	PASSED	0.343 s
screenshot			PASSED	0.225 s
		screenshot]	


#	Step / Hook Details	Status	Duration
	# Operational Section Control		
7	Then system should display validation message for budget code	PASSED	2.035 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot	1	
	© Construction S		
8	And enter warning percentage grater than hundread	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.189 s
9	And enter budget name	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tendefinitions** **Tendefinit	PASSED	0.216 s
10	Then system should display validation message for warning percentage	PASSED	0.020 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	So the Square Annabase and th		
11	Then give remark	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.179 s
12	When try to click on save button but system not allow to save the record	PASSED	1.062 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.112 s

EXPANDED SECTION --- 8 --







EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

