

Cucumber Report

11 Jan 2023, 12:12:36 PM

Start : Jan 11, 12:11:13.755 PM

End : Jan 11, 12:12:32.656 PM

Duration : 1 m 18.901 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	1 m 18.901 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify download file is auto created basis the defined time and user is allowed to download the file.	9	6	1	2	1 m 18.894 s





(F)- AR_AP Module

FAILED	DURATION - 1 m 18.901 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 12:11:13.755 PM // 12:12:32.656 PM /					

(S)- Verify download file is auto created basis the defined time and user is allowed to download the file.


FAILED	DURATION - 1 m 18.894 s		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 12:11:13.762 PM // 12:12:32.656 PM /				
AR_AP Module				
@blocker @KUBS_AR_AP_UAT_008_003_TC01 @AR/AP				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	51.033 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.856 s
	screenshot		
			
2	And click on arap configuration main menu	PASSED	1.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And click on payment file generation setup sub menu	PASSED	0.499 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.724 s
	screenshot		
			
4	And user update the Excel sheet testdata for online payments	PASSED	0.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.513 s
	screenshot		
			
5	And configure the file format as Payout wise	PASSED	1.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
	screenshot		
			
6	And save the arap configure record	PASSED	1.841 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
			
7	And validate the saved record	FAILED	10.043 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@role='alertdialog']' (tried for 10 second(s) with 1 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)</p> <p>at stepdefinitions.ACCOUNTSPAYBLE_PaymentFileDownload.validate_the_saved_record(ACCOUNTSPAYBLE_PaymentFileDownload.java:852)</p> <p>at ?.validate the saved record(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:867)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@role='alertdialog']} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.150', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [00dd6c56dfd9b54b5089b1d3a8860a6c, findElement {using=xpath, value="//div[@role='alertdialog']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63520}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63520/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 00dd6c56dfd9b54b5089b1d3a8860a6c</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)</p> <p>at stepdefinitions.ACCOUNTSPAYBLE_PaymentFileDownload.validate_the_saved_record(ACCOUNTSPAYBLE_PaymentFileDownload.java:852)</p>		


#	Step / Hook Details	Status	Duration
	<pre> java:852) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.401 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.001 s
9	And Select and Submit the Update Deposited Cheque record1	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify download file is auto created
basis the defined time and user is allowed
to download the file.


(F) AR_AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify download file is auto created
basis the defined time and user is allowed
to download the file.

(F) AR_AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify download file is auto created
basis the defined time and user is allowed
to download the file.

(F) AR_AP Module

Payment File Configuration View

Actions	Entity Code	Entity Branch	Status	Auth Status	Auth Date	Auth By	Created By	Created Date	Modified By	Modified Date
	Azentio_Soft	BR0004	Active	Approved	11-Jan-2023	1002437	1002435	11-Jan-2023		
	Azentio_Soft	BR0003	Active	Approved	03-Nov-2022	1002437	1002435	27-Oct-2022		
	Azentio_Soft	AZENTMAIN	Active	Approved	30-Sep-2022	1002437	1002435	30-Sep-2022		

3 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify download file is auto created
basis the defined time and user is allowed
to download the file.

(F) AR_AP Module

Payment File Configuration View

Actions	Entity Code	Entity Branch	Status	Auth Status	Auth Date	Auth By	Created By	Created Date	Modified By	Modified Date
	Azentio_Soft	BR0004	Active	Approved	11-Jan-2023	1002437	1002435	11-Jan-2023		
	Azentio_Soft	BR0003	Active	Approved	03-Nov-2022	1002437	1002435	27-Oct-2022		
	Azentio_Soft	AZENTMAIN	Active	Approved	30-Sep-2022	1002437	1002435	30-Sep-2022		

3 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify download file is auto created
basis the defined time and user is allowed
to download the file.

(F) AR_AP Module

13-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

← PAYMENT_FILE_CONFIGURATION

* Entity Branch Azentio Main Branch Txn Status ACTIVE

Txn Date * Create File Basis Payout Wise

Hour	Minute	Action
03	04	

1 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify download file is auto created
basis the defined time and user is allowed
to download the file.

(F) AR_AP Module

13-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

← Payment File Configuration

Actions	Entity Code	Entity Branch	Status	Created By	Created Date	Modified By	Modified Date
	Azentio_Soft	AZENTMAIN	Active	1002435	30-Sep-2022	1002435	01-Jan-1970

1 total

PaymentFileConfiguration updated successfully.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify download file is auto created
basis the defined time and user is allowed
to download the file.

(F) AR_AP Module

AZENTIO

ONEBanking

Finance

Business partner setup

General ledger configuration

Accounting setup

Expense/AR & AP configura...

AR & AP configuration

AR reference code setup

Receivable code setup

AP reference code setup

Expense code setup

Payment file generation setup

Payment file definition setup

Prepaid Expense Approval

Budget configuration

Fixed assets configuration

Financial statements

22 Appro...

11 Mess...

Payment File Configuration

Actions	Entity Code	Entity Branch	Status	Created By	Created Date	Modified By	Modified Date
	Azentio_Soft	AZENTMAIN	Active	1002435	30-Sep-2022	1002435	01-Jan-1970
1 total							