


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Checking accountsPayable and accounts Receivable module | 1 | 0 | 1 | 0 | 38.511 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------|---|----|---|---|----|----------|
| 1 | Checking accountsPayable and | Verify cancelling Advance To employee is not allowed if the | 40 | 7 | 1 | 32 | 38.505 s |
| | accounts Receivable module | same has been adjusted at payment settlement | | | | | |

DETAILED SECTION -- 4 --

(F)- Checking accounts Payable and accounts Receivable module

| FAILED | DURATION - 38.511 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 40 | |
| / 4:54:05.279 PN | M // 4:54:43.790 PM / | Pass - 0 | 1 | Pass - 7 | 40 |
| | | Fail - 1. | | Fail - 1 | |
| | | Skip - 0 | | Skip - 32 | |

(S)- Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

| FAILED DURATION - 38.505 s | | | 1 | | | | - | | - | | | | | | | , | Steps | | |
|---------------------------------------|----|---|---|-----|---|---|---|---|----------|---|----|----------|----|----|----|----|------------|----|--|
| / 4:54:05.285 PM // 4:54:43.790 PM / | 10 | | ! | - [| | | - | | - | - | | | | - | | | Total - 40 | | |
| Checking accountsPayable and accounts | 5 | | 1 | | | | | | <u>.</u> | | | - | | | - | | Pass - 7 | 40 | |
| Receivable module | 0 | | _ | | _ | | _ | | | | | <u> </u> | | | | | Skip - 32 | | |
| @KUBS_AR_AP_UAT_003_008_TC_03 | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to KUBS URL and login with maker credentials | PASSED | 17.431 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.172 s |
| | screenshot | | |
| | ■ Particular designation with a first of the particular designation of the particular designati | | |
| 2 | And Goto accounts receivable advances module | PASSED | 1.347 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.363 s |
| | screenshot | | |

| 3 Then click on search AFTER_STEP - stepdefinitions HooksClass.addScreenshot((o.cucumber.java.Scenario) screenshot 4 And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario) screenshot 5 And go to accounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.Ho | # | Step / Hook Details | Status | Duration |
|--|---|---|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED 0.205 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.345 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s | | © Marrier 100 Mar | | |
| screenshot And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.345 s PASSED 0.148 s | 3 | Then click on search | PASSED | 0.125 s |
| 4 And select the advance to employee active record PASSED 0.549 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s 4 And go to aacounts payable module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.205 s |
| 4 And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.345 s PASSED 0.148 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.148 s | | | | |
| Screenshot 5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.345 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s | 4 | And select the advance to employee active record | PASSED | 0.549 s |
| 5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.345 s PASSED 0.148 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.150 s |
| 5 And go to aacounts payable module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) D. 294 s D. 295 s D. 294 s D. 295 s D. 295 s D. 294 s D. 295 s D. 294 s D. 294 s D. 295 s D. 294 s D. 294 s D. 295 s D. 295 s D. 294 s D. 295 s D. | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.345 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s | | © surface 1 | | |
| Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s | 5 | And go to aacounts payable module | PASSED | 0.294 s |
| 6 And Go to payment settlement module AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.148 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.193 s |
| 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.345 s 0.148 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s | | 1 → Maria | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s | 6 | And Go to payment settlement module | PASSED | 1.345 s |
| screenshot | | | | |
| | | screenshot | 1 | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | *** *** *** *** *** *** *** *** *** ** | | |
| 7 | And click on Add Icon | PASSED | 0.246 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.354 s |
| | screenshot | | |
| | | | |
| 8 | And fill the form for settlement | FAILED | 4.694 s |
| | org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "xpath", "selector": "Intig@aria-label='April 11, 2023"/span") (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '14.00-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [e5381cf35c3f4bb8ed1fc34506815115, findElement {using=xpath, value=//td@aria-label='April 11, 2023"/span]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51} (d537ec02474b5, userDataDir: C:\UserSiNINDC=11AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64487}, javascriptEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64487/devtoo, se:cdp/version: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, organizedBlob: true, webauthn:extension:largeBlob: true, strictBlenterBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ACCOUNTSPAYABLE_PaymentSettlement.fill_the_form_for_settlement(ACCOUNTSPAYABLE_PaymentSettlement. java:330) at ?.fill the form for settlement(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkAnandh/ Anandh_AzentioAutomationFramework1/src/test/java/features/ACCOUNTSPAYABLE_ACCOUNTSRECEIVABLE.feature:348) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.280 s |
| | screenshot | | |
| | | | |
| 9 | And Save the form | SKIPPED | 0.000 s |
| 10 | And click notification button | SKIPPED | 0.000 s |
| 11 | Then choose first record in the notification record | SKIPPED | 0.000 s |
| 12 | And click on Submit button | SKIPPED | 0.000 s |
| 13 | Then enter remark in confirmation alert | SKIPPED | 0.000 s |
| 14 | Then click on submit button in alert | SKIPPED | 0.001 s |
| 15 | And capture the reviewer ID in pop up which is open when we submit our record in maker stage | SKIPPED | 0.000 s |
| 16 | Then logout from maker | SKIPPED | 0.000 s |
| 17 | And login with reviewer credentials | SKIPPED | 0.000 s |
| 18 | Then click on notification button | SKIPPED | 0.000 s |
| 19 | And select our record in notification records using reference ID | SKIPPED | 0.001 s |
| 20 | Then Approve the record from reviewer | SKIPPED | 0.000 s |
| 21 | And enter the remark in alert | SKIPPED | 0.000 s |
| 22 | Then click on submit in alert | SKIPPED | 0.000 s |
| 23 | Then verify the approval status of the record | SKIPPED | 0.000 s |
| 24 | And logout from reviewer | SKIPPED | 0.000 s |
| 25 | Then login as a checker | SKIPPED | 0.000 s |
| 26 | And click on security management menu in checker | SKIPPED | 0.000 s |
| 27 | Then click on action button under security management menu | SKIPPED | 0.000 s |
| 28 | And select our record and clime using reference ID | SKIPPED | 0.000 s |
| 29 | Then click on Notification button | SKIPPED | 0.000 s |
| 30 | Then select our record in notification records by the help of reference ID | SKIPPED | 0.000 s |


DETAILED SECTION -- 8 --


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 31 | And click on approve button in checker stage | SKIPPED | 0.000 s |
| 32 | Then give alert remark | SKIPPED | 0.000 s |
| 33 | Then click on submit button on alert | SKIPPED | 0.000 s |
| 34 | And verify the record got approved from checker | SKIPPED | 0.000 s |
| 35 | Then logout from checker | SKIPPED | 0.000 s |
| 36 | And login with Maker ID | SKIPPED | 0.000 s |
| 37 | And goto arap adjustment main module | SKIPPED | 0.001 s |
| 38 | Then go to ar ap adjustment module | SKIPPED | 0.001 s |
| 39 | And click on Add Icon | SKIPPED | 0.000 s |
| 40 | Then check the settlement completed advance can be cancelled | SKIPPED | 0.000 s |

EXPANDED SECTION



EXPANDED SECTION --- 10 --





EXPANDED SECTION -- 12 --

