Cucumber Report

| **Start : Apr 11, 2:58:01.675 PM**	**End : Apr 11, 2:59:01.980 PM**	**Duration : 1 m 0.305 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 8

1

1

19

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
52 %
0 100

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Petty Cash Module	1	0	1	0	1 m 0.305 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Petty Cash Module	Create a fund request for Petty Cash	19	10	1	8	1 m 0.294 s

(F)- Check the Functionality of Petty Cash Module

FAILED	DURATION - 1 m 0.305 s	Scenarios		Steps	
/ 2:58:01.675 PM // 2:59:01.980 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 19 Pass - 10 Fail - 1 Skip - 8	19

(S)- Create a fund request for Petty Cash

FAILED	DURATION - 1 m 0.294 s		Steps	
/ 2:58:01.686 PM // 2:59:01.980 PM /			Total - 19	
Check the Functionality of Petty Cash Module			Pass - 10 Fail - 1	19
@KUBS_PC_UAT_004_001			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	27.746 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.929 s
	screenshot		
	+		
2	Then Click on the Finance	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on the Direction	PASSED	2.619 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
4	Then Click on Petty Cash button	PASSED	0.941 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
5	Then Click on Fund Request eye button	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
6	Then Click on Add button to request fund	PASSED	0.457 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Request Amount Text Box and entre amount	PASSED	0.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.097 s
8	Then Click on Save button for saving record	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.379 s
9	Then Click on Notification button	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.387 s
10	And Select record which we saved	PASSED	0.745 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.304 s

#	Step / Hook Details	Status	Duration
11	And Submit the record	FAILED	3.747 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	  at stepdefinitions.InventoryManagament.submit_the_record(InventoryManagament.java:223)
	  at ?.Submit the record(file:///C:/Users/inindc00082/git/AzentioAutomationFrameworkmaster_new04.09/AzentioAutomationFramework/src/test/java/features/PettyCash.feature:18)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot 		
12	Then Open Reviewer account	SKIPPED	0.001 s
13	And Click on notification	SKIPPED	0.001 s
14	Then Click on Approve button in reviewer stage	SKIPPED	0.001 s
15	Given Navigate to URL and user should login as a maker	SKIPPED	0.000 s
16	Then Click on the Finance	SKIPPED	0.000 s
17	Then Click on the Direction	SKIPPED	0.001 s
18	Then Click on Petty Cash button	SKIPPED	0.001 s
19	Then Click on Fund Request eye button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	Kastle Universal Banking (Beta) 09-Jan-2023 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▣ 👤 ANANT Finance ▾ Configuration ⬡ 🗋 ⊙ Finance ⊙ LOS ○ Welcome, anant 22 Appro... ✕ 11 Messa... ✕ Home Preference
(S) Create a fund request for Petty Cash	
(F) Check the Functionality of Petty Cash Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	Kastle Universal Banking (Beta) 09-Jan-2023 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▣ 👤 ANANT Finance ▾ 🔧 ⬡ 🗋 ⊙ Business partner setup ⊙ General ledger configuration ⊙ Accounting setup ⊙ Expense/AR & AP configurati... ⊙ Budget configuration ⊙ Fixed assets configuration ⊙ Inventory maintenance ⊙ Bank recon ⊙ Petty cash configuration ⊙ Financial Audit Configuration Welcome, anant 22 Appro... ✕ 11 Messa... ✕ Home Preference
(S) Create a fund request for Petty Cash	
(F) Check the Functionality of Petty Cash Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a fund request for Petty Cash	
(F) Check the Functionality of Petty Cash Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a fund request for Petty Cash	
(F) Check the Functionality of Petty Cash Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty Cash Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty Cash Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty Cash Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty Cash Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty Cash Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty Cash Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a fund request for Petty Cash

(F) Check the Functionality of Petty Cash Module