Cucumber Report

| Start : May 03, 9:42:49.327 AM	End : May 03, 9:43:22.369 AM	Duration : 33.042 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 6

Features: 1

Scenarios: 1

Steps: 16

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 56 %

#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	33.042 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	Click on Process button on Bank Recon Process screen post creating additional entries	16	9	1	6	33.038 s

(F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 33.042 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 9:42:49.327 AM // 9:43:22.369 AM /		Pass - 0	1	Pass - 9	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED	DURATION - 33.038 s		Steps	
/ 9:42:49.331 AM // 9:43:22.369 AM /			Total - 16	
testing the fuctionalities of bank reconciliation module			Pass - 9	16
			Fail - 1	
@KUBS_TAX_UAT_0010_001TC_001			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	14.077 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.665 s
	screenshot		
2	And user click bank recon module	PASSED	0.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click eye icon in bank recon module	PASSED	0.376 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.258 s
	screenshot		
4	And user click add icon in bank recon	PASSED	0.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.817 s
	screenshot		
5	And user select bank name in bank recon Module for csv file	PASSED	0.463 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
6	And user select bank account Number in bank recon Module	PASSED	0.243 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	And user click bank recon from date and select the date for csv file	PASSED	1.908 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
8	And user click bank recon to date and select the date for csv file	PASSED	1.620 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
9	And user click choose file and upload the bank statement for csv	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
10	And user click save button in bank recon	FAILED	1.119 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1322, 88). Other element would receive the click: <div role="alert" class="ng-tns-c136-1 toast-message ng-star-inserted" aria-label="Bank Reconciliation process is already done for selected period and bank account number" style="">...</div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision:		

#	Step / Hook Details	Status	Duration

	'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0731b792c4f710e3c6cb5453d11cbd12, clickElement {id=a6221d24-69c3-4cba-8214-9cb84f418c9e}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54678}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54678/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0731b792c4f710e3c6cb5453d11cbd12)] -> xpath: //page-bank-recon-details-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 0731b792c4f710e3c6cb5453d11cbd12
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.Bank_ReconModule.user_click_save_button_in_bank_recon(Bank_ReconModule.java:124)
	  at ?.user click save button in bank recon(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:74)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.184 s

#	Step / Hook Details	Status	Duration
11	And user click process button in bank recon	SKIPPED	0.001 s
12	And user click the unmatched data in bank recon process	SKIPPED	0.001 s
13	And user match the records in unmached tab	SKIPPED	0.001 s
14	And user click matched data tab	SKIPPED	0.000 s
15	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	SKIPPED	0.001 s
16	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

Actions		Branch Code - Name	Legal Entity Branch	Bank Name	Account Number	Account Type	Period From	Period To
👁 ✏		AZENTMAIN - Azentio N	3	65	21	1105512	25-Feb-2023	26-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	60	16	1105512	25-Feb-2023	26-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	60	16	1105512	23-Feb-2023	24-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	65	21	1105512	21-Feb-2023	22-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	61	17	1105512	23-Feb-2023	24-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	65	21	1105512	19-Feb-2023	20-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	65	21	1105512	17-Feb-2023	18-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	64	20	1105513	17-Feb-2023	18-Feb-2023

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

Actions		Branch Code - Name	Legal Entity Branch	Bank Name	Account Number	Account Type	Period From	Period To
👁 ✏		AZENTMAIN - Azentio N	3	65	21	1105512	25-Feb-2023	26-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	60	16	1105512	25-Feb-2023	26-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	60	16	1105512	23-Feb-2023	24-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	65	21	1105512	21-Feb-2023	22-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	61	17	1105512	23-Feb-2023	24-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	65	21	1105512	19-Feb-2023	20-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	65	21	1105512	17-Feb-2023	18-Feb-2023
👁 ✏		AZENTMAIN - Azentio N	3	64	20	1105513	17-Feb-2023	18-Feb-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module