# Cucumber Report

| Start : May 03, 12:25:19.073 PM | End : May 03, 12:25:46.850 PM | Duration : 27.777 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 9<br>FAILED - 1<br>SKIPPED - 3 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | testing the fuctionalities of bank reconciliation module | 1 | 0 | 1 | 0 | 27.777 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | testing the fuctionalities of bank reconciliation module | Check format of Bank Reconciliation statement is correct as per FSD | 13 | 9 | 1 | 3 | 27.773 s |

## (F)- testing the fuctionalities of bank reconciliation module

| FAILED | DURATION - 27.777 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 12:25:19.073 PM // 12:25:46.850 PM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 13<br>Pass - 9<br>Fail - 1<br>Skip - 3 | 13 |

## (S)- Check format of Bank Reconciliation statement is correct as per FSD

| FAILED | DURATION - 27.773 s | | Steps | |
|---|---|---|---|---|
| / 12:25:19.077 PM // 12:25:46.850 PM / | | | Total - 13 | |
| testing the fuctionalities of bank reconciliation module | | | Pass - 9<br>Fail - 1 | 13 |
| @KUBS_TAX_UAT_011_001TC_001 | | | Skip - 3 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user log in to Azentio for bank recon | PASSED | 12.803 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.308 s |
| | screenshot | | |
| |  | | |
| 2 | And user click bank recon module | PASSED | 0.095 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.186 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And user click eye icon in bank recon module | PASSED | 0.285 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.255 s |
| | screenshot | | |
| |  | | |
| 4 | And user click add icon in bank recon | PASSED | 0.240 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.253 s |
| | screenshot | | |
| |  | | |
| 5 | And user select bank name in bank recon Module for csv file | PASSED | 0.315 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.179 s |
| | screenshot | | |
| |  | | |
| 6 | And user select bank account Number in bank recon Module | PASSED | 0.217 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.157 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And user click bank recon from date and select the date for csv file | PASSED | 1.503 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.175 s |
| | screenshot | | |
| |  | | |
| 8 | And user click bank recon to date and select the date for csv file | PASSED | 1.474 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| | screenshot | | |
| |  | | |
| 9 | And user click choose file and upload the bank statement for csv | PASSED | 0.094 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.190 s |
| | screenshot | | |
| |  | | |
| 10 | And user click save button in bank recon | FAILED | 1.117 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1322, 88). Other element would receive the click: <div class="toast-progress ng-tns-c136-2" style="width: 75.56%;"></div>   (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c4972a0812e45775ed36e6b1af49bf2d, clickElement {id=c031238c-1ab5-4685-949c-92950f1fed3a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60712}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60712/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c4972a0812e45775ed36e6b1af49bf2d)] -> xpath: //page-bank-recon-details-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: c4972a0812e45775ed36e6b1af49bf2d<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>  at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>  at stepdefinitions.Bank_ReconModule.user_click_save_button_in_bank_recon(Bank_ReconModule.java:124)<br>  at ?.user click save button in bank recon(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/ features/Bank_ReconciliationModule.feature:58)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br> | PASSED | 0.220 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 11 | And user click process button in bank recon | SKIPPED | 0.001 s |
| 12 | And user click the bank statement in bank recon | SKIPPED | 0.001 s |
| 13 | Then user verify Format of Bank Recon statement must be as per FSD | SKIPPED | 0.001 s |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Check format of Bank Reconciliation statement is correct as per FSD | |
| (F) testing the fuctionalities of bank reconciliation module | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Check format of Bank Reconciliation statement is correct as per FSD | |
| (F) testing the fuctionalities of bank reconciliation module | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check format of Bank Reconciliation
statement is correct as per FSD

(F) testing the fuctionalities of bank
reconciliation module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check format of Bank Reconciliation
statement is correct as per FSD

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check format of Bank Reconciliation statement is correct as per FSD

(F) testing the fuctionalities of bank reconciliation module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check format of Bank Reconciliation statement is correct as per FSD

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check format of Bank Reconciliation statement is correct as per FSD

(F) testing the fuctionalities of bank reconciliation module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check format of Bank Reconciliation statement is correct as per FSD

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check format of Bank Reconciliation statement is correct as per FSD

(F) testing the fuctionalities of bank reconciliation module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check format of Bank Reconciliation statement is correct as per FSD

(F) testing the fuctionalities of bank reconciliation module