

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|------------------|---|---|---|---|--------------|
| 1 | ACCOUNTS PAYABLE | 1 | 1 | 0 | 0 | 1 m 33.732 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------|-------------------|----|----|---|---|--------------|
| 1 | ACCOUNTS PAYABLE | Create a contract | 21 | 21 | 0 | 0 | 1 m 33.724 s |

DETAILED SECTION -- 4 -

(F)- ACCOUNTS PAYABLE

| PASSED | DURATION - 1 m 33.732 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 21 | |
| / 5:20:25.689 AN | M // 5:21:59.421 AM / | Pass - 1 | 1 | Pass - 21 | 21 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Create a contract



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 15.025 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.960 s |
| | screenshot | | |
| | | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 0.563 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.361 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | © 100 100 | | |
| 3 | When click on eye button of vendor contract | PASSED | 0.532 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.620 s |
| | screenshot | | |
| | © 100 - 100 | | |
| 4 | And click on add button to create contract | PASSED | 0.566 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.386 s |
| 5 | And Fill the required fields to create contract | PASSED | 4.435 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.211 s |
| 6 | Then Save and submit the creation contract record | PASSED | 6.385 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.159 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | The state of the s | | |
| 7 | And User should go to the kubs url and login as a reviewer user | PASSED | 9.182 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.106 s |
| | screenshot | | |
| | The Contract of the Contract o | | |
| 8 | Then Click on notification button in reviewer | PASSED | 0.162 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.461 s |
| | screenshot | 1 | |
| | | | |
| | Time 4 Inter 5 | | |
| 9 | And approve the record by reviewer user | PASSED | 3.967 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.174 s |
| | screenshot | - | |
| | Some of the control o | | |
| 10 | Given User should go to the kubs url and login as a checker user | PASSED | 6.464 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.190 s |
| | screenshot |] | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | E Q CONTINUES TO SECURITY OF THE PARTY OF TH | | |
| | | | |
| | | | |
| | | | |
| 11 | And Click on security management in checker | PASSED | 0.083 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.175 s |
| | screenshot | | |
| | © Contractions and the Contract Contrac | | |
| | © Intrarquent [total 8 0] | | |
| | | | |
| | | | |
| 12 | Then Click on open pool in checker | PASSED | 0.154 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.232 s |
| | screenshot | | |
| | IN O TORRISON OF THE CONTROL OF THE | | |
| | 0 0 0 0 0 0 0 0 0 0 | | |
| | | | |
| | | | |
| 13 | And Click on claim button in checker | PASSED | 0.076 s |
| 13 | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.184 s |
| | screenshot | | |
| | | - | |
| | | | |
| | | | |
| | | | |
| | Time 4 min. 4 | | |
| 14 | And capture claimed status | PASSED | 0.243 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.201 s |
| | screenshot | | |


| The click on notification in checker | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| 15 Then click on notification in checker PASSED 0.207 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s screenshot PASSED 6.337 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.337 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s screenshot PASSED 7.411 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.411 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.488 s accenshot PASSED 0.494 s and user should navigate to accounts payable menu PASSED 0.494 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s | | 10 10 10 10 10 10 10 10 | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 16 Then checker should approved the contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s 0.37 s 0.466 s 0.465 s 0.47 s 0 | | | | |
| screenshot Then checker should approved the contract record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) PASSED 0.494 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) PASSED 0.228 s | 15 | | | |
| Then checker should approved the contract record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot ROW User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.494 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.228 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.366 s |
| Then checker should approved the contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s PASSED 0.228 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 18 And user should navigate to accounts payable menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s PASSED 0.494 s PASSED 0.228 s | | Total Continue | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 18 And user should navigate to accounts payable menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s PASSED 0.494 s PASSED 0.228 s | 16 | Then checker should approved the contract record | PASSED | 6.337 s |
| 7.411 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user should navigate to accounts payable menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.494 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s | | | | |
| To Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot And user should navigate to accounts payable menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.494 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.228 s | | | 1 | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user should navigate to accounts payable menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.488 s 0.488 s PASSED 0.494 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s | | Table | | |
| Screenshot And user should navigate to accounts payable menu AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.494 s 0.228 s | 17 | Given User should go to the kubs url and login as a maker user | PASSED | 7.411 s |
| 18 And user should navigate to accounts payable menu AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.494 s 0.228 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.488 s |
| 18 And user should navigate to accounts payable menu AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.494 s 0.228 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s | | © transfer france. The second | | |
| | 18 | And user should navigate to accounts payable menu | PASSED | 0.494 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | ### ### ############################# | | |
| 19 | When click on eye button of vendor contract | PASSED | 0.399 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.260 s |
| | screenshot | | |
| | Company Comp | | |
| 20 | Then click on first eye button to get the unique contract code | PASSED | 2.165 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.109 s |
| | screenshot | | |
| | Compared to the compared to | | |
| 21 | And checker should logout | PASSED | 0.245 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.281 s |
| | screenshot | | |
| | | | |


EXPANDED SECTION -- 10 --




EXPANDED SECTION





EXPANDED SECTION -- 12 --






EXPANDED SECTION -- 14 --







EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

