Cucumber Report

08-Feb-2023, 4:20:38 pm

Start : Feb 08, 4:19:16.650 pm	End : Feb 08, 4:20:34.157 pm	Duration : 1 m 17.507 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 13 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	1	1	0	0	1 m 17.507 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Check Asset Serial Number	13	13	0	0	1 m 17.496 s

(F)- Check the Functionality of Fixed Asset

PASSED	DURATION - 1 m 17.507 s	Scenarios		Steps	
/ 4:19:16.650 pm // 4:20:34.157 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 13 Pass - 13 Fail - 0 Skip - 0	

(S)- Check Asset Serial Number

PASSED	DURATION - 1 m 17.496 s		Steps	
/ 4:19:16.661 pm // 4:20:34.157 pm /			Total - 13 Pass - 13 Fail - 0 Skip - 0	
Check the Functionality of Fixed Asset				
@KUBS_FAT_UAT_013_006				

#	Step / Hook Details	Status	Duration
1	And User get the test data for check assert serial number	PASSED	4.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.654 s
	screenshot		
	+		
2	Given User should go to the kubs url and login as a maker user	PASSED	47.597 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.821 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And User click the fixed assert config button	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
			
4	And User click the assert serial number setup tempview	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.989 s
	screenshot		
			
5	And User get the assert code in fixed assert config	PASSED	2.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
			
6	Then click on report icon	PASSED	2.940 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.475 s
	screenshot		
			
7	And user should navigate to master reports menu	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then click on temp grid button of asset serial number	PASSED	0.508 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s
	screenshot		
			
9	And User enter the assert code	PASSED	0.871 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
10	And User enter the start assert serial number	PASSED	0.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.411 s
	screenshot		
			
11	And User select the date in assert report	PASSED	1.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	Then click in the view button to check	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.937 s
	screenshot		
			
13	Then the report is displaying all the asset codes details for a branch	PASSED	2.552 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)
(S) Check Asset Serial Number
(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Check Asset Serial Number	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Asset Serial Number	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Asset Serial Number	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset