

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To test the Gendral Ledgure module	1	1	0	0	28.410 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the Gendral Ledgure module	Delete the Accunting Book if COA is not created	8	8	0	0	28.404 s

DETAILED SECTION -- 4 --

## (F)- To test the Gendral Ledgure module

PASSED	DURATION - 28.410 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 8:58:19.519 PN	1 // 8:58:47.929 PM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Delete the Accunting Book if COA is not created

PASSED DURATION - 28.404 s	20			-					1		Steps		
/ 8:58:19.525 PM // 8:58:47.929 PM /	15		-	:-	 		<u> </u>				Total - 8		
7 6.36.19.323 FW // 6.36.41.929 FW /	10 -	╂-	-		 						Pass - 8	Ω	
To test the Gendral Ledgure module	5	-	-		 		<u> </u>				Fail - 0	°	
@KUBS_GL_UAT_002_006	0 -		<u> </u>	<u> </u>	 		<u> </u>	<u> </u>	<u> </u>		Skip - 0		
			1	2	3	4	5	6	7	8			


#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	19.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
	## Of the control of		
2	When user click the Accounting setup	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		


3 And click the accounting book eye icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  4 Then click on search  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And seach the active status  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And seach the active status  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then click on search  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And seach the active status  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.261 s  PASSED  0.217 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AND SED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.173 s		The control of the		
screenshot  4 Then click on search  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And seach the active status  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.216 s  PASSED  0.261 s	3	• •	PASSED	
4 Then click on search  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.216 s  PASSED  0.261 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.216 s  0.261 s  0.261 s  0.261 s  0.261 s  0.261 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And seach the active status  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And get the book name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.261 s  0.261 s		The state of the s		
screenshot  5 And seach the active status  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And get the book name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.404 s  PASSED  0.217 s  0.217 s  0.217 s  0.217 s  0.217 s	4	Then click on search	PASSED	0.216 s
5 And seach the active status  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And get the book name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.404 s  0.217 s  0.217 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
5 And seach the active status  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And get the book name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.404 s  0.217 s  0.217 s  0.217 s  0.217 s  0.217 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And get the book name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.217 s  PASSED  0.035 s  PASSED  0.173 s		© Control Con		
Screenshot  6 And get the book name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.035 s  0.173 s	5	And seach the active status	PASSED	0.404 s
6 And get the book name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.035 s  0.173 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
6 And get the book name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.035 s  0.173 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.173 s		I minute of the second of the		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s	6	And get the book name	PASSED	0.035 s
screenshot		·	PASSED	0.173 s
		screenshot		

#	Step / Hook Details	Status	Duration	
	## OF CONTRACTORS			
7	And click the first edit eye icon in list view	PASSED	0.163 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s	
	screenshot			
	## OF THE PARTY CONTINUES AND			
8	And Click the status and select deactivate	PASSED	0.000 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.250 s	
	Section   Sect			


-- 6 --

EXPANDED SECTION -- 7





**EXPANDED SECTION** 



EXPANDED SECTION -- 10 --

