Cucumber Report

03-Feb-2022, 10:16:54 am

Start : Feb 03, 10:16:33.280 am	End : Feb 03, 10:16:53.381 am	Duration : 20.101 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 13 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	1	1	0	0	20.101 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	budget for Budgetcode type Quaterly	13	13	0	0	20.096 s

(F)- Check The Azentio UAT Budget Request and Allocation functionaliy

PASSED	DURATION - 20.101 s	Scenarios		Steps	
/ 10:16:33.280 am // 10:16:53.381 am /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 13 Pass - 13 Fail - 0 Skip - 0	

(S)- budget for Budgetcode type Quaterly

PASSED	DURATION - 20.096 s		Steps	
/ 10:16:33.285 am // 10:16:53.381 am /			Total - 13 Pass - 13 Fail - 0 Skip - 0	
Check The Azentio UAT Budget Request and Allocation functionaliy				
@KUBS_UAT_Quarterly_KUBS_BP_UAT_002_0-02				



#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	11.437 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
			
2	Then click the Two Direction Icon	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click to the Budget	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
			
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	screenshot		
			
5	And click on the Add icon in Request and Allocation	PASSED	0.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
			
6	Then select to Budget Code	PASSED	0.371 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And select the Budget Year	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
			
8	Then click on the Branch	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
			
9	And select the one Branch	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
			
10	Then click on the Branch ok button	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then select one currency we need	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
			
12	And Enter the Amount for Quarterly Budget type	PASSED	0.948 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
			
13	And click on the save button	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT Budget Request and Allocation functionaliy