

# Cucumber Report

Feb 27, 2022, 7:58:34 AM

Start : Feb 27, 7:58:31.554 AM

End : Feb 27, 7:58:34.168 AM

Duration : 2.614 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Appropriation functionality	1	0	1	0	2.614 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable Appropriation functionality	Below amount must be correctly calculated & displayed post receipt appropriation.	7	0	1	6	2.611 s

**(F)- Checking the Account Receivable Appropriation functionality**

<b>FAILED</b>	<b>DURATION - 2.614 s</b>	Scenarios		Steps	
/ 7:58:31.554 AM // 7:58:34.168 AM /		Total - 1	1	Total - 7	7
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

**(S)- Below amount must be correctly calculated & displayed post receipt appropriation.**

<b>FAILED</b>	<b>DURATION - 2.611 s</b>		Steps	
/ 7:58:31.557 AM // 7:58:34.168 AM /			Total - 7	
Checking the Account Receivable Appropriation functionality			Pass - 0	
@MultiAuth			Fail - 1	
@KUBS_AR/AP_UAT_010_005_TC_04			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login <pre> com.google.gson.JsonSyntaxException: com.google.gson.stream.MalformedJsonException: Expected name at line 7 column 3 path \$[0].null     at com.google.gson.Gson.fromJson(Gson.java:947)     at com.google.gson.Gson.fromJson(Gson.java:870)     at dataProvider.JsonConfig.getAppropriationListData(JsonConfig.java:525)     at dataProvider.JsonConfig.&lt;init&gt;(JsonConfig.java:158)     at stepdefinitions.InventoryMaintenance.&lt;init&gt;(InventoryMaintenance.java:36)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)           </pre>	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: com.google.gson.stream.MalformedJsonException: Expected name at line 7 column 3 path \$[0].null at com.google.gson.stream.JsonReader.syntaxError(JsonReader.java:1562) at com.google.gson.stream.JsonReader.doPeek(JsonReader.java:504) at com.google.gson.stream.JsonReader.hasNext(JsonReader.java:413) at com.google.gson.internal.bind.ReflectiveTypeAdapterFactory\$Adapter.read(ReflectiveTypeAdapterFactory.java:216) at com.google.gson.internal.bind.TypeAdapterRuntimeTypeWrapper.read(TypeAdapterRuntimeTypeWrapper.java:41) at com.google.gson.internal.bind.ArrayTypeAdapter.read(ArrayTypeAdapter.java:72) at com.google.gson.Gson.fromJson(Gson.java:932) </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
	+		
2	Then Click on Direction icon	SKIPPED	0.001 s
3	Then Click on Account Recivable button	SKIPPED	0.000 s
4	Then Click on Account Recivable Appropriation eye button	SKIPPED	0.000 s
5	Then Click to add record in Account Recivable	SKIPPED	0.000 s
6	Then Check receipt is available for Appropriation	SKIPPED	0.000 s
7	Then enter App Amount check the calculation for Outstanding amount for Receivable	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Below amount must be correctly  
calculated & displayed post receipt  
appropriation.

(F) Checking the Account Receivable  
Appropriation functionality