

Cucumber Report

Mar 3, 2022, 2:00:20 AM

Start : Mar 03, 1:59:08.653 AM

End : Mar 03, 2:00:20.180 AM

Duration : 1 m 11.527 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 10


FAILED - 1

SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Updating deposited cheques functionality	1	0	1	0	1 m 11.527 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Account Receivable</u> <u>Updating deposited cheques *</u>	<u>Bouncing of deposited cheques</u>	17	10	1	6	1 m 11.524 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Checking the Account Receivable Updating deposited cheques functionality

FAILED	DURATION - 1 m 11.527 s	Scenarios		Steps	
/ 1:59:08.653 AM // 2:00:20.180 AM /		Total - 1		Total - 17	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	


(S)- Bouncing of deposited cheques

<div>FAILED</div> <div>DURATION - 1 m 11.524 s</div>		<div>Steps</div> <div>Total - 17</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 6</div>	
<div>/ 1:59:08.656 AM // 2:00:20.180 AM /</div>			
<div>Checking the Account Receivable Updating deposited cheques functionality</div>			
<div>@MultiAuth</div> <div>@KUBS_AR/AP_UAT_010_003_TC_01</div>			

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
			
2	Then Click on Direction icon	PASSED	2.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Account Recivable button	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot 		
4	Then Click on Update cheque status Note icon	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot 		
5	Then Select the Record	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot 		
6	Then Select Cheque Status Bounced	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Add Bank Charges	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		
			
8	Then Select the bounced reason	PASSED	0.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
			
9	Then Click on save button to save the Record for Account Recivable	PASSED	3.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		
			
10	Then Click on Update Deposited Cheque Notification	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	<p>And Select and Submit the Update Deposited Cheque record</p> <pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [70efbde1699d62b6a4e69914ffee58c5, findElement {using=xpath, value=("//ion-textarea/div/textarea[@name='remarks']")[3]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56533}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56533/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 70efbde1699d62b6a4e69914ffee58c5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre>	FAILED	47.053 s


#	Step / Hook Details	Status	Duration
	at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.AccountReceivable_UpdateDepositedCheque. select_and_submit_the_update_deposited_cheque_record(AccountReceivable_UpdateDepositedCheque.java:154) at ?.Select and Submit the Update Deposited Cheque record(file:///C:/Users/inindc00089/git/repository/ Priyanka_AzentioAutomationFramework/src/test/java/features/AccountReceivable_UpdateDepositedCheque.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [70efbde1699d62b6a4e69914ffee58c5, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:56533}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56533/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 70efbde1699d62b6a4e69914ffee58c5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	FAILED	4.016 s
12	Then log in to the reviewer account	SKIPPED	0.001 s
13	Then click on the Notification select the Cheque record and Approve	SKIPPED	0.000 s
14	Then log in to the Checker Account	SKIPPED	0.000 s
15	And then checker claim the record	SKIPPED	0.001 s
16	Then click on the checker Notification	SKIPPED	0.000 s
17	And select the Cheque record and Approve by checker	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0',	FAILED	0.243 s

#	Step / Hook Details	Status	Duration
	<p>java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [70efbde1699d62b6a4e69914ffee58c5, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56533}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56533/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 70efbde1699d62b6a4e69914ffee58c5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques


(F) Checking the Account Receivable
Updating deposited cheques functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

Actions	Branch Code - Name	Cheque Number	Deposit Slip Date	Slip Number	Bank	Branch	Account Number
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio N	RR5555	03-Mar-2022	DEP-RR5555-2022030	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio N	RR4444	03-Mar-2022	DEP-RR4444-2022030	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio N	RRN2802202213	03-Mar-2022	DEP-RRN2802202213-	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio N	12	26-Feb-2022	DEP-12-20220226	HDFC BANK	Ashok Marg Jaipur Branch	1234534555
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio N	RR121996	25-Feb-2022	DEP-RR121996-20220	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio N	RR000076	27-Feb-2022	DEP-RR000076-20220	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio N	3345344	28-Dec-2021	DEP-3345344-202112	ICICIBANK	JAIPUR BRANCH	ICICI883298

7 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Update Cheque Status

Actions	Branch Code - Name	Cheque Number	Deposit Slip Date	Slip Number	Bank	Branch	Account Number
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio Main Branch	RR5555	03-Mar-2022	DEP-RR5555-20220303	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio Main Branch	RR4444	03-Mar-2022	DEP-RR4444-20220303	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio Main Branch	RRN2802202213	03-Mar-2022	DEP-RRN2802202213	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio Main Branch	12	26-Feb-2022	DEP-12-20220226	HDFC BANK	Ashok Marg Jaipur Branch	1234534555
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio Main Branch	RR121996	25-Feb-2022	DEP-RR121996-20220225	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio Main Branch	RR000076	27-Feb-2022	DEP-RR000076-20220227	ICICIBANK	JAIPUR BRANCH	ICICI883298
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio Main Branch	3345344	28-Dec-2021	DEP-3345344-202112	ICICIBANK	JAIPUR BRANCH	ICICI883298

7 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Update Deposited Cheque

Entity Branch: Azentio Main Branch x

Deposit Slip Number: DEP-RR5555-20220303

Pay In Slip Date: 03-Mar-2022

Cheque Number: RR5555

Amount: 100.00 INR

Cheque Status: Bounced x

Bank Charges *

Bounced Reason *

Payer: ANANT

Status: ACTIVE x

Remarks *: ok

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

← Update Deposited Cheque

Entity Branch Azentio Main Branch	Deposit Slip Number DEP-RR5555-20220303	Pay In Slip Date 03-Mar-2022
Cheque Number RR5555	Amount 100.00 INR	Cheque Status Bounced
Bank Charges * 50	* Bounced Reason	Payer ANANT
Status ACTIVE	Remarks * ok	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

← Update Deposited Cheque

Entity Branch Azentio Main Branch	Deposit Slip Number DEP-RR5555-20220303	Pay In Slip Date 03-Mar-2022
Cheque Number RR5555	Amount 100.00 INR	Cheque Status Bounced
Bank Charges * 50	* Bounced Reason Insufficient Balance	Payer ANANT
Status ACTIVE	Remarks * ok	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Update Deposited Cheque

Entity Branch: Azentio Main Branch x

Deposit Slip Number: DEP-RR5555-20220303

Pay In Slip Date: 03-Mar-2022

Cheque Number: RR5555

Amount: 100.00 INR

Cheque Status: Bounced x

Bank Charges * 50

Bounced Reason

Payer: ANANT

Status: ACTIVE x

Remarks * ok

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Account Receivable
Updating deposited cheques functionality

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Update Deposited Cheque

Entity Branch: Azentio Main Branch x

Deposit Slip Number: DEP-RR5555-20220303

Pay In Slip Date: 03-Mar-2022

No data to display

Cheque Number: RR5555

Amount: 100.00 INR

Cheque Status: Bounced x

Bank Charges * 50

Bounced Reason

Payer: ANANT

Status: ACTIVE x

Remarks * ok

22 Appro... 11 Messa...

Home Preference