Cucumber Report

| Start : Mar 23, 11:38:19.241 am	End : Mar 23, 11:39:11.063 am	Duration : 51.822 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 20 FAILED - 1 SKIPPED - 7

Features: 1

Scenarios: 1

Steps: 28

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 71 %

#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	1	0	1	0	51.822 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	Check requested budget for budget code can be approved	28	20	1	7	51.814 s

## (F)- Check The Azentio UAT Budget Request and Allocation functionaliy

FAILED	DURATION - 51.822 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 11:38:19.241 am // 11:39:11.063 am /		Pass - 0	1	Pass - 20	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Check requested budget for budget code can be approved

FAILED	DURATION - 51.814 s		Steps	
/ 11:38:19.249 am // 11:39:11.063 am /			Total - 28	
Check The Azentio UAT Budget Request and Allocation functionaliy			Pass - 20	28
			Fail - 1	
@KUBS_UAT_BudgetApprove_KUBS_BP_UAT_-002_005			Skip - 7	

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	13.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
2	Then click the Two Direction Icon	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click to the Budget	PASSED	1.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.369 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
5	And click on the Add icon in Request and Allocation	PASSED	0.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
6	Then To Select the Budget Code	PASSED	0.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And select the Budget Year	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
8	Then click on the Branch	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
9	And Choose the one Branch	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
10	Then click on the Branch ok button	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
12	And Give Amount for Budget Type Show in Budget type field	PASSED	2.956 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
13	And click on the save button	PASSED	2.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
14	Then click on the Maker icon button	PASSED	0.943 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And click on the Record submit	PASSED	3.048 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
16	Given Azentio Url login as Reviewer	PASSED	9.915 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
17	Then Click on Reviewer Notification icon	PASSED	0.996 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
18	And Click on to Reviewer Action button	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
	screenshot		

| #	Step / Hook Details	Status	Duration
19	Then Click on to Approve button in Reviewer	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot 		
20	And Submit the record in reviewer	PASSED	1.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot 		
21	Given Azentio Url login as checker page	FAILED	1.488 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [24347a103ffced0adc800c7976ed2057, findElement {using=xpath, value=//input[@name='username']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56853}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56853/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 24347a103ffced0adc800c7976ed2057
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioAppAsChecker(KUBS_Login.java:113) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT. azentio_url_login_as_checker_page(Budget_BudgetRequestandAllocation_UAT.java:78) at ?.Azentio Url login as checker page(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/ features/BUDGET_BudgetRequestandAllocation_UAT.feature:94) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.014 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [24347a103ffced0adc800c7976ed2057, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56853}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56853/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 24347a103ffced0adc800c7976ed2057 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
22	Then click on the security management	SKIPPED	0.000 s
23	And Click on the sub module open pool near Edit icon	SKIPPED	0.001 s
24	Then Click the claim option icon	SKIPPED	0.009 s
25	And Click on the checker notification icon	SKIPPED	0.001 s
26	Then click the checker action icon	SKIPPED	0.000 s
27	And Approve the Record in checker	SKIPPED	0.004 s
28	Then Submit the Record in checker	SKIPPED	0.002 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.097 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [24347a103ffced0adc800c7976ed2057, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56853}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56853/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 24347a103ffced0adc800c7976ed2057
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	    at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)
	    at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check requested budget for budget code can be approved	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check requested budget for budget code can be approved	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check requested budget for budget code can be approved

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check requested budget for budget code can be approved

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

Actions	Budget Code	Budget Name	Budget Year	Budget Type	Total Budget Amount	Status
👁 ✏	BUD_01	Monthly_Petrol	2022-2023	MONTHLY	6000000	Active
👁 ✏	BUD002	Stationary budget	2022-2023	QUARTERLY	50002550	Active
👁 ✏	BUDG0055	Capital Budgets	2022-2023	YEARLY	500000	Active
👁 ✏	123132	ASDFG	2022-2023	HALFYEARLY	100000000	Active
👁 ✏	BDG0029	Advertisement	2022-2023	YEARLY	1000000	Active
👁 ✏	EXP-NEW01	EXPNEW01	2022-2023	YEARLY	20000	Active
👁 ✏	BUD003	yearly stationary budget	2022-2023	YEARLY	50000	Active
👁 ✏	BC0011	Head Office And Branch R	2023-2024	YEARLY	1000000	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check requested budget for budget code can be approved

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check requested budget for budget code can be approved

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check requested budget for budget
code can be approved

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check requested budget for budget
code can be approved

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check requested budget for budget code can be approved (F) Check The Azentio UAT Budget Request and Allocation functionaliy	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check requested budget for budget code can be approved (F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be approved

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be approved

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check requested budget for budget code can be approved

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check requested budget for budget code can be approved

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check requested budget for budget
code can be approved

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check requested budget for budget
code can be approved

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Check requested budget for budget
code can be approved

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Check requested budget for budget
code can be approved

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check requested budget for budget code can be approved	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check requested budget for budget code can be approved	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	