
Duration: 14 m 46.013 s Start: Mar 01, 10:42:42.474 PM End: Mar 01, 10:57:28.487 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 11 SKIPPED - 0 SKIPPED - 0 SKIPPED - 21 33 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 33 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Payable GRN functionality	1	0	1	0	14 m 46.013 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable GRN	Verify details are auto populated on Inventory Stock Receipt	33	11	1	21	14 m 46.010 s
	functionality	Confirmation post entering GRN reference.					

DETAILED SECTION -- 4 --

(F)- Checking the Acount Payable GRN functionality

FAILED	DURATION - 14 m 46.013 s	Scenarios		Steps	
		Total - 1		Total - 33	
/ 10:42:42.474	4 PM // 10:57:28.487 PM /	Pass - 0	1	Pass - 11	33
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 21	

(S)- Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

FAILED DURATION - 14 m 46.010 s	800 -	;-		-										-		Steps			
/ 10:42:42.477 PM // 10:57:28.487 PM /	600 -			-		-						ı		-		Total - 33			
Checking the Acount Payable GRN functionality	400 -			-		-					-	ľ		-		Pass - 11		33	
@MultiAuth	200 -]_	-			+ 				1 -	-	1 -	Skip - 21	7		
@KUBS_AR/AP_UAT_001_004_TC_04		1	2	3	4	5	6	7	8 9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.047 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
	**		
2	Then Click on Direction icon	PASSED	2.365 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
	WOOD SET OF THE PROPERTY OF TH		
3	Then Click on Account Payable	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
	■		
4	Then Click on GRN Eye button	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.373 s
5	Then Click on purchase order Add button	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.202 s
6	Then Fill the form for GRN	PASSED	1.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Account Payable Save button	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
	1		
8	Then Click on Account Payable Notification	PASSED	0.308 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot * * *******************************		
9	Then Select the record from Notification	PASSED	0.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.210 s
	1		
10	Then Click on item Details tab	PASSED	2.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		

#	Step / Hook Details	Status	Duration

11	Then Select PO Number which is created with expense code mapped with inventory code	PASSED	2.490 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		
12	Then Add qty received qty approved	FAILED	14 m 18.833 s
	org.openga.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [5ddb1d3d27988d9554fe84f7c6dcdaca, findElement {using=xpath, value=/linput[@id='row.receivedQty]}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthnextension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ddb1d3d27988d9554fe84f7c6dcdaca at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openga.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openga.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.jav		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElement(WaitHelper.java:79)		
	at stepdefinitions.AccountPayable_Grn.add_qty_received_qty_approved(AccountPayable_Grn.java:118)		
	at ?.Add qty received qty approved(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/		
	AccountPayable_Grn.feature:50)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	4.013 s
	org.openga.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [5ddb1d3d27988d9554fe84f7c6dcdaca, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, setWindowRect: true, setWinDOWS, platformName: WINDOWS, proxy; Proxy(), se:cdp: ws://localhost:50137/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ddb1d3d27988d9554fe84f7c6dcdaca at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance((NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.cecode(W3CHttpResponseCodec.java:23) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openga.selenium.remote.enthtpCommandExecutor.ivokeExecute(PriverCommandExecutor.java:184) at org.openga.selenium.remote.Service.DriverCommandExecutor.inokeExecute(PriverCommandExecutor.java:139) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.op		
13	Then Click on item Details Save button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
14	Then Click on Account Payable Notification	SKIPPED	0.000 s
15	Then Select the record from Notification	SKIPPED	0.000 s
16	And Submit the record with Remark	SKIPPED	0.000 s
17	Then log in to the reviewer account	SKIPPED	0.000 s
18	Then click on the Notification Approve the record	SKIPPED	0.000 s
19	Then log in to the Checker Account	SKIPPED	0.000 s
20	And then checker claim the record	SKIPPED	0.000 s
21	Then click on the checker Notification	SKIPPED	0.001 s
22	And select the record and Approve add remark by checker	SKIPPED	0.000 s
23	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
24	Then Click on Direction icon	SKIPPED	0.000 s
25	Then Click on Account Payable	SKIPPED	0.000 s
26	Then Click on GRN Eye button	SKIPPED	0.000 s
27	Then select GRN refernce	SKIPPED	0.000 s
28	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
29	Then Click on Direction icon	SKIPPED	0.000 s
30	Then Click on Inventory Management	SKIPPED	0.000 s
31	Then Click on inventory stock receipt Eye Icon	SKIPPED	0.000 s
32	Then Click on inventory stock Add button	SKIPPED	0.000 s
33	Then enter GRN reference check details auto populated	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.236 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ddb1d3d27988d9554fe84f7c6dcdaca, close {}}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:50137}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50137/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, stricFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5ddb1d3d27988d9554fe84f7c6dcdaca at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


EXPANDED SECTION -- 11 --




EXPANDED SECTION




EXPANDED SECTION -- 13 --





EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

