
Cucumber Report




FEATURES SUMMARY -- 2 --



1 1	# Feature Name	T	P	F	S	Duration
-	1 AR_AP Module	1	0	1	0	56.111 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name		P	F	S	Duration
1	AR_AP Module	Checking of downloaded payment files for online payment	8	7	1	0	56.104 s
		where create file basis is Bank Wise					

DETAILED SECTION -- 4 --

(F)- AR_AP Module

FAILED	DURATION - 56.111 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 4:48:10.161 PI	M // 4:49:06.272 PM /	Pass - 0	1	Pass - 7	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Checking of downloaded payment files for online payment where create file basis is Bank Wise

FAILED DURATION - 56.104 s	30 -	1		-;	 			;		Steps	
/ 4:48:10.168 PM // 4:49:06.272 PM /	20 -				 					Total - 8	
AR_AP Module	-									Pass - 7	8
@blocker @AR/AP	10 -									Fail - 1	
@KUBS_AR_AP_UAT_008_002_TC_01	0 -		<u> </u>		 <u></u>	<u> </u>	<u> </u>	-		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	31.914 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.999 s
	screenshot		
2	And click on arap configuration main menu	PASSED	0.756 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
	AND THE REPORT OF THE PROPERTY		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 4 And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And configure the file format as Bank Wise AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And configure the file format as Bank Wise AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 6 And save the arap configure record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.745 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.875	#	Step / Hook Details	Status	Duration
And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And configure the file format as Bank Wise AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) APASSED	3	And click on payment file generation setup sub menu	PASSED	0.364 s
And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And configure the file format as Bank Wise AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.745 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.745 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.773 s
4 And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And configure the file format as Bank Wise AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.885		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And configure the file format as Bank Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.256 s PASSED 0.366 s 2.181 s PASSED 0.366 s PASSED 0.367 s		+		
screenshot 5 And configure the file format as Bank Wise AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And save the arap configure record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 7 Then Click on Update Deposited Cheque Notification PASSED 1.745 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.745 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s	4	And user update the Excel sheet testdata for online payment	PASSED	0.481 s
5 And configure the file format as Bank Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.745 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.601 s
Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.745 s Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.745 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s		Calculate Calc		
screenshot And save the arap configure record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.745 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s	5	And configure the file format as Bank Wise	PASSED	1.256 s
And save the arap configure record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.745 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.745 s PASSED 0.366 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.745 s PASSED 0.366 s				
Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s	6	And save the arap configure record	PASSED	2.181 s
7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
7 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.887 s		Company Comp		
	7	Then Click on Update Deposited Cheque Notification	PASSED	1.745 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.887 s
3 Control of the cont		screenshot		

#	Step / Hook Details	Status	Duration
	A		
8	And Select and Submit the Update Deposited Cheque recordssss	FAILED	3.258 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"yapath":"selector"://spanjcontains(text0,/730)/jancestor:datatable-body-cell/preceding-sibling::datatable-body-cell/ion-button") (Session info: chrome=130 ob. 0.5393 1.25) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element_Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.150', os.name: 'Windows 10', os.arch: 'amd64', os.version: '13.00', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.Chromeror Command: [12crc9r10bc08bb5b162pcb6821a914, findElement (using=xpath_value=/!spanj(contains(text))/andee: prowser/version: 108.0.5359.125, chrome: (chromedriverVersion: 108.0.5359.71 (1e0e3868e06, userDatabir: C.'\USerSVININDC-1\AppDataL), goog:chromeOptions: (debuggerAddress: localhost:55990), javascripEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxyl), se:cdp: ws://localhost:55990/devtoo, se:cdpVersion: 108.05359.125, setWindowRect: true, strictFielInteractability: false, timeouts: (implicit: 0, pageLoad-3 300000, setJo 30000, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extensionslargeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f2crC9f70b0c8bb5b6129cbb6821a914 at jdk.internal.reflect.GeneratedConstructor.Accessor/Impl.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ewode.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ewode.w3c.W3CHttpRespo		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	ABOVID		


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION

