Cucumber Report

Start : Feb 08, 4:40:54.692 AM	*End : Feb 08, 4:41:33.436 AM*	*Duration : 38.744 s*
Features	Scenarios	Steps

PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 15

1

1

21

0 %

0 %

23 %

#	Feature Name	T	P	F	S	Duration
1	_INVENTORY MANAGEMENT_	1	0	1	0	38.744 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	INVENTORY MANAGEMENT	Purchase	21	5	1	15	38.738 s

(F)- INVENTORY MANAGEMENT

FAILED	DURATION - 38.744 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 4:40:54.692 AM // 4:41:33.436 AM /		Pass - 0	1	Pass - 5	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Purchase

| FAILED	DURATION - 38.738 s		Steps	
/ 4:40:54.698 AM // 4:41:33.436 AM /			Total - 21	
INVENTORY MANAGEMENT			Pass - 5	21
@PurchseReqConf_KUBS_INV_MGMT_UAT_001-_002			Fail - 1	
			Skip - 15	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	14.946 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.180 s
	screenshot		
	+		
2	And user should navigate to inventory management	PASSED	0.969 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of purchase requisition confirmation	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.754 s
	screenshot 		
4	And click on add button of purchase requisition confirmation	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.568 s
	screenshot 		
5	And Fill the required fields to purchase req	PASSED	0.541 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot 		
6	Then Save and submit the purchase req confirmation	FAILED	1.137 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <div class="ng-tns-c135-0 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-error" toast-component="" style="opacity: 1;">...</div> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip:		

#	Step / Hook Details	Status	Duration
	'10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [26f12c0a0953e971b90b899174adb93c, clickElement {id=5c6b083f-b5ca-400a-a7f9-bc5991862208}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63372}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63372/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (26f12c0a0953e971b90b899174adb93c)] -> xpath: //page-purchase-requisition-confirmation-update/ion-header/ion-toolbar/ion-buttons[2]/ion-button] Session ID: 26f12c0a0953e971b90b899174adb93c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.INVENTORY_MANAGEMENT_PurchaseRequisitionConfirmation. save_and_submit_the_purchase_req_confirmation(INVENTORY_MANAGEMENT_PurchaseRequisitionConfirmation.java:77) at ?.Save and submit the purchase req confirmation(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/ features/INVENTORY_MANAGEMENT_PurchaseRequisitionConfirmation.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.235 s

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.001 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.001 s
16	Then checker should approved the contract record	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to inventory management	SKIPPED	0.000 s
19	When click on eye button of purchase requisition confirmation	SKIPPED	0.000 s
20	Then click on first eye button to get the indent reference number	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) Purchase

(F) INVENTORY MANAGEMENT

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT

| | Kastle Universal Banking (Beta) | 03-Oct-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

Finance

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management

Inventory request
Purchase requisition confirmation
Inventory stock receipt

22 Appro...   11 Messa...

← Purchase Requisition Confirmation View

Actions	Branch Code - Nam	Indent Ref No	Inventory Item	Purchase Requisitic	Transaction Date	Status	Created Date	Auth By	Auth Status
👁	AZENTMAIN - Azentio N	TRN_PR_83_20220207	18		100	03-OCT-2022 17:26:23	Active		07-Feb-2022
👁	AZENTMAIN - Azentio N	TRN_PR_82_20220206	16		10	02-OCT-2022 20:15:53	Active		06-Feb-2022
👁	AZENTMAIN - Azentio N	TRN_PR_81_20220206	16		100010	02-OCT-2022 20:04:5;	Active		06-Feb-2022
👁	AZENTMAIN - Azentio N	TRN_PR_80_20220204	16		1	03-OCT-2022 14:44:5£	Active		04-Feb-2022
👁	AZENTMAIN - Azentio N	TRN_PR_79_20220204	16		1	03-OCT-2022 10:47:0(	Active		04-Feb-2022
👁	AZENTMAIN - Azentio N	TRN_PR_78_20220203	12		1000	03-OCT-2022 17:48:0(	Active		03-Feb-2022
👁	AZENTMAIN - Azentio N	TRN_PR_77_20220203	13		120	03-OCT-2022 16:00:0£	Active		03-Feb-2022
👁	AZENTMAIN - Azentio N	TRN_PR_76_20220203	21		200	03-OCT-2022 15:23:3£	Active		03-Feb-2022

79 total   г   o   1   2   3   4   5   p   q

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT

| | Kastle Universal Banking (Beta) | 03-Oct-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

Finance

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management

Inventory request
Purchase requisition confirmation
Inventory stock receipt

22 Appro...   11 Messa...

← Purchase Requisition Confirmation

* Item Code   Item Description   Purchase Requisition Qty

Available Qty   Minimum Qty for order   Indent Reference No

Branch Code	Request number	Request Type	CCY	Requested	Action

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT