Start: Feb 02, 10:02:13.115 AM End: Feb 02, 10:03:45.490 AM **Duration: 1 m 32.375 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 11 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 72 %

100


100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	1	0	1	0	1 m 32.375 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	Check Asset Amendment Report	11	8	1	2	1 m 32.368 s

DETAILED SECTION

(F)- To verify the reports for fixed asset

FAILED	DURATION - 1 m 32.375 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 10:02:13.115	5 AM // 10:03:45.490 AM /	Pass - 0	1	Pass - 8	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Check Asset Amendment Report



#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	54.559 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.897 s
	screenshot		
2	Then Click on Report button	PASSED	0.691 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.474 s
	screenshot		
	ALUTO Sold Up. Aluto Gallery Control of the Contro		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 4 Then Click on Amendment Report edit button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 4 Then Choose the data set id for asset amenment report AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.315 s 0.315 s 0.324 s	#	Step / Hook Details	Status	Duration
screenshot 4 Then Click on Amendment Report edit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then Choose the data set id for asset amenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.324 s 0.324 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.641 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s	3	Then Click on Transaction Reports tab	PASSED	1.721 s
4 Then Click on Amendment Report edit button PASSED 0.542 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Choose the data set id for asset amenment report AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Choose the data set id for asset amenment report AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then fill Amendment Report details PASSED 0.641 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.641 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.293 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
4 Then Click on Amendment Report edit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Choose the data set id for asset amenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.537 s 0.033 s PASSED 0.033 s PASSED 0.324 s Then fill Amendment Report details PASSED 0.641 s PASSED 0.641 s PASSED 0.293 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Choose the data set id for asset amenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then fill Amendment Report details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.537 s 0.003 s		AMANUM MANUMAN AND MANUMAN AND AND MANUMAN AND AND AND MANUMAN AND AND AND AND AND AND AND AND AND A		
screenshot Then Choose the data set id for asset amenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s PASSED 0.324 s creenshot Then fill Amendment Report details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.641 s PASSED 0.293 s	4	Then Click on Amendment Report edit button	PASSED	0.542 s
Then Choose the data set id for asset amenment report AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then fill Amendment Report details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s 0.324 s 0.641 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.641 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.537 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then fill Amendment Report details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.324 s PASSED 0.641 s PASSED 0.623 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then fill Amendment Report details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.324 s PASSED 0.641 s PASSED 0.623 s		AMANUM STATE OF THE PROPERTY O		
Screenshot Then fill Amendment Report details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.641 s 0.293 s	5	Then Choose the data set id for asset amenment report	PASSED	0.033 s
Then fill Amendment Report details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.641 s 0.293 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.293 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.293 s		ADDRESS ADD		
	6	Then fill Amendment Report details	PASSED	0.641 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
		screenshot		
Association of the control of the co				
7 Then Get the system date for asset ammenment report PASSED 0.126 s	7	Then Get the system date for asset ammenment report	PASSED	0.126 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.813 s			_	
		screenshot		

		Duration
	PASSED	6.332 s
io.cucumber.java.Scenario)	PASSED	0.351 s
· · · · · · · · · · · · · · · · · · ·	1	
	FAILED	1.906 s
Unable to locate element: {"method":"xpath","selector":"//td[@aria-359.126) For documentation on this error, please visit: https://selenium.dev/on: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. findElement {using=xpath, value=//td[@aria-label='December 05, ee: chrome, browserVersion: 108.0.5359.126, chrome: br: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: brkConnectionEnabled: false, pageLoadStrategy: normal, platform: //localhost:53985/devtoo, se:cdpVersion: 108.0.5359.126, et: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss: largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: r.newInstance(DirectConstructorHandleAccessor.java:67) (Constructor.java:500) or.java:484) dec.createException(W3CHttpResponseCodec.java:133) ordec.decode(W3CHttpResponseCodec.java:133) ordec.decode(W3CHttpResponseCodec.java:53) HttpCommandExecutor.java:184) f.invokeExecute(DriverCommandExecutor.java:164) f.execute(DriverCommandExecutor.java:139)		
cteWebDriver.java:547) \$2.findElement(ElementLocation.java:162) ementLocation.java:60) RemoteWebDriver.java:381) RemoteWebDriver.java:373)		
file Dio / ii : r. () c o o o h i i c s s s	indElement {using=xpath, value=//td[@aria-label='December 05, e: chrome, browserVersion: 108.0.5359.126, chrome: ir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: orkConnectionEnabled: false, pageLoadStrategy: normal, platform: //localhost:53985/devtoo, se:cdpVersion: 108.0.5359.126, it: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: newInstance(DirectConstructorHandleAccessor.java:67) (Constructor.java:500) or.java:484) odec.createException(W3CHttpResponseCodec.java:200) odec.decode(W3CHttpResponseCodec.java:133) odec.decode(W3CHttpResponseCodec.java:53) HttpCommandExecutor.java:184)invokeExecute(DriverCommandExecutor.java:164) .execute(DriverCommandExecutor.java:139) oteWebDriver.java:547) \$2.findElement(ElementLocation.java:162) mentLocation.java:381)	indElement {using=xpath, value=//td[@aria-label='December 05, e: chrome, browserVersion: 108.0.5359.126, chrome: ir: C:\Users\ININDC~1\AppData\L\}, goog:chromeOptions: brkConnectionEnabled: false, pageLoadStrategy: normal, platform: //localhost:53985/devtoo, se:cdpVersion: 108.0.5359.126, it: 0, pageLoad: 300000, script: 30000\}, unhandledPromptBehavior: dismiss largeBlob: true, webauthn:virtualAuthenticators: true\} Session ID: .newInstance(DirectConstructorHandleAccessor.java:67) (Constructor.java:500) br.java:484\) dec.createException(W3CHttpResponseCodec.java:200) dec.decode(W3CHttpResponseCodec.java:133) dec.decode(W3CHttpResponseCodec.java:53) HttpCommandExecutor.java:184\) .invokeExecute(DriverCommandExecutor.java:164\) .execute(DriverCommandExecutor.java:139) bteWebDriver.java:547) \$2.findElement(ElementLocation.java:162) tementLocation.java:381\)


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at ?.Select Amendment to date in calendar(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports.feature:142) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
	ACTIVE State that the state of		
10	Then Click on the View button	SKIPPED	0.001 s
11	Then close the report	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

