
Start: Mar 03, 10:48:24.099 am End: Mar 03, 10:49:11.547 am **Duration: 47.448 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 13 SKIPPED - 0 SKIPPED - 0 SKIPPED - 21 35 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 37 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed Assets	1	0	1	0	47.448 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed	Create an amendment to modify asset life (greater than	35	13	1	21	47.442 s
	Assets	current/existing asset life)					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the Fixed Assets

FAILED	DURATION - 47.448 s	Scenarios		Steps	
		Total - 1		Total - 35	
/ 10:48:24.099 ai	m // 10:49:11.547 am /	Pass - 0	1	Pass - 13	35
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 21	

(S)- Create an amendment to modify asset life (greater than current/existing asset life)



#	Step / Hook Details	Status	Duration
1	Given Lauch The Azentio Url	PASSED	12.699 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
	The Control of the Co		
2	Then Click Second Segment Icon	PASSED	0.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		

	Status	Duration
© Management		
3 And Click on fixed Asset Module PAS	ASSED 0).118 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	ASSED 0).247 s
screenshot		
# \$ 100 markets \$ 100 market		
4 Then click on Asset creation Eye icon	ASSED 0).194 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PAS	ASSED 0).314 s
# 10 miles		
5 And Click to view First record and store RefNo	ASSED 0).102 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	ASSED 0).246 s
screenshot		0.118 s 0.247 s 0.194 s 0.314 s 0.102 s 0.246 s 0.263 s 0.283 s
### 100 Figure 100 Fig		
6 Then Click on Asset Ammendent submodule Eye Icon	ASSED 0	0.263 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	ASSED 0).283 s
screenshot		

# Step / Hook Details St	tatus Duration
# \$ 1000 (1000 1000 (1	
7 And Click on Add Icon PASS	SED 0.324 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	SED 0.305 s
screenshot	
# 0 000 (1000 1000 1000 1000 1000 1000 1	
8 Then Enter Asset Referance Number PASS	SED 0.499 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SED 0.187 s
screenshot	
9 And Enter Asset Item Number PASS	SED 0.289 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SED 0.162 s
screenshot	
10 Then Choose Modification Type Which need PASS	SED 0.408 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	SED 0.187 s
	· · · · · · · · · · · · · · · · · · ·

#	Step / Hook Details	Status	Duration
	10 10 10 10 10 10 10 10		
11	And Enter Asset Life greater than Value	PASSED	0.274 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
12	Then Save the Asset Record	PASSED	0.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	Screenshot * * * * * * * * * * * * * * * * * * *		
13	And Click on Maker Notification	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.334 s

14	Then Select Saved record and click on action icon	FAILED	12.741 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8aa48a9dfe133e0b2a7ea00cf72bc3be, findElement {using=xpath, value=//app-inbox//datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[2]//span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80}		


#	Step / Hook Details	Status	Duration
#	(7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L\}, goog:chromeOptions: {debuggerAddress: localhost:51232}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51232/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8aa48a9dfe133e0b2a7ea00cf72bc3be at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.mewInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:360) at org.openqa.selenium.remote.ElementLocation.\$ElementElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:381)	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79)		
	at stepdefinitions.FIXEDASSET_AssetAmendment.select_saved_record_and_click_on_action_icon(FIXEDASSET_AssetAmendment.java:195) at ?.Select Saved record and click on action icon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetAmendment.feature:136) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8aa48a9dfe133e0b2a7ea00cf72bc3be, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:51232},	FAILED	12.097 s

#	Step / Hook Details	Status	Duration
	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51232/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8aa48a9dfe133e0b2a7ea00cf72bc3be at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
15	And Submit the Asset record to Reviewer	SKIPPED	0.001 s
16	Given Launch the Azentio Reviewer Page	SKIPPED	0.001 s
17	And Click the Reviewer Notification icon	SKIPPED	0.001 s
18	Then Click the submitted record from maker	SKIPPED	0.000 s
19	And Click the Approve icon from Reviewer End	SKIPPED	0.000 s
20	Then Enter the remark and submit the Record	SKIPPED	0.000 s
21	Given Launch the Azentio Checker page	SKIPPED	0.001 s
22	Then Click the Security management module	SKIPPED	0.000 s
23	And Click the open pool Edit icon	SKIPPED	0.000 s
24	Then Claim the record Approved from Reviewer	SKIPPED	0.000 s
25	And Click the Checker Notification icon	SKIPPED	0.001 s
26	Then Click the Action Icon from claimed record	SKIPPED	0.000 s
27	And Click on Approve icon	SKIPPED	0.000 s
28	Then Submit the Record from Checker End	SKIPPED	0.000 s
29	Given Lauch The Azentio Url	SKIPPED	0.000 s
30	Then Click Second Segment Icon	SKIPPED	0.000 s
31	And Click on fixed Asset Module	SKIPPED	0.000 s
32	Then Click on Asset Ammendent submodule Eye Icon	SKIPPED	0.000 s
			·


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
33	And Click the search icon	SKIPPED	0.000 s
34	Then Enter the Asset Referance No	SKIPPED	0.000 s
35	When capture the Asset Grid view	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.246 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [Baa48a9dfe133e0b2a7ea00cf72bc3be, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: (chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\NINDC~1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:51232}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sexcep: ws://localhost:51232/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strict=lienteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 8aa48a9dfe133e0b2a7ea00cf72bc3be at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute		


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

