Cucumber Report

| Start : Feb 04, 3:02:59.335 AM	End : Feb 04, 3:03:45.743 AM	Duration : 46.408 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Checking the Inventory Maintenance functionality	1	0	1	0	46.408 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Checking the Inventory Maintenance functionality*	*Unique Inventory item code should be created*	15	14	1	0	46.405 s

(F)- Checking the Inventory Maintenance functionality

| FAILED	DURATION - 46.408 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 3:02:59.335 AM // 3:03:45.743 AM /		Pass - 0	**1**	Pass - 14	**15**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Unique Inventory item code should be created

FAILED	DURATION - 46.405 s		Steps	
/ 3:02:59.338 AM // 3:03:45.743 AM /			Total - 15	**15**
Checking the Inventory Maintenance functionality			Pass - 14	
@KUBS_INV_MGMT_UAT_002_003 @MultiAuth			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
2	Then Click on Direction icon for Inventory Maintenance	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Inventory Maintenance	PASSED	0.598 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot 		
4	Then Click on Inventory Item Master Eye Icon	PASSED	0.263 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot 		
5	Then Click on Inventory Item Add button	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot 		
6	Then Fill Inventory Item Mandatory fields	PASSED	2.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Click on Inventory Item Save button	PASSED	2.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
8	Then Click on Inventory Item Notification	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
9	And Select Inventory Item and Submit the record	PASSED	8.876 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.089 s
	screenshot		
10	Then log in to the reviewer account	PASSED	4.604 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.084 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on the Notification select the record and Approve	PASSED	5.500 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot 		
12	Then log in to Checker Account	PASSED	4.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot 		
13	And checker claim the record	PASSED	1.835 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot 		
14	Then click on checker Notification	PASSED	1.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And select the record and Approve by checker	FAILED	1.731 s

	java.lang.NullPointerException: Cannot invoke "pageobjects.KUBS_ReviewerObj.reviewerAlertRemarks()" because "this.reviewer" is null
	    at stepdefinitions.AccountPayable_VendorPurchaseOrder.select_the_record_and_approve_by_checker(AccountPayable_VendorPurchaseOrder.java:375)
	    at ?.select the record and Approve by checker(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/InventoryMaintenance.feature:21)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

Kastle Universal Banking (Beta)   03-Oct-2022 English ▾ Azentio Software ▾ (A

No Module Mapped

← Inventory Item Master

Record is available in CHECKER's Open Pool with status PENDING ✕

* Branch Code
AZENTMAIN-Azentio Main Branch   ✕ ▾

Item Code
BOOK31

* Item Description
Book31

* Item Short Description
Book31

* Instrument Code
INV004-Traveller Check   ✕ ▾

Instrument Description
Traveller Check

* Currency Code
INR   ✕ ▾

* Reorder Level
1

* Excess Level
10

* Reorder Qty
1

* Current Balance Quantity
50

QC Required ☑

Fill Indicator ☑

Status
ACTIVE   ✕ ▾

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

Kastle Universal Banking (Beta)   03-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ⌨ 👤 CHECKER

Configuration

Welcome, Checker

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality