

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the AR/AP Module-Cancellation of Contract	1	1	0	0	38.981 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the AR/AP Module-Cancellation	verify accounting entries post bill is cancelled	16	16	0	0	38.977 s
	of Contract						

DETAILED SECTION -- 4 --

## **(F)- Testing the AR/AP Module-Cancellation of Contract**

PASSED	DURATION - 38.981 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 5:18:49.318 PM	1 // 5:19:28.299 PM /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- verify accounting entries post bill is cancelled




#	Step / Hook Details	Status	Duration
1	Given user navigate to azentio url and login as maker	PASSED	16.982 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.589 s
	screenshot		
	The State of the S		
2	When click the account payable main module	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click the search icon in list view  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  O.109 s  0.191 s  0.761 s  0.163 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click the search icon in list view  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  O.761 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  O.762 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  O.763 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  O.763 s		The state of the		
screenshot  And click the search icon in list view  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AASSED  O.761 s  PASSED  O.282 s	3	,	PASSED	0.192 s
4 And click the search icon in list view PASSED 0.109 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And search invoice type as expense  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED 0.761 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ###################################		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.998 s
Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  And search invoice type as expense  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Screenshot  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Arter Step - stepdefinitions. Hooks Class. add Screenshot (io.		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And search invoice type as expense  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And search invoice status as cancelled  And search invoice status as cancelled  And search invoice status as cancelled  D.191 s  0.191 s  0.191 s  0.191 s		O     O		
screenshot  And search invoice type as expense  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And search invoice status as cancelled  And search invoice status as cancelled  PASSED  0.761 s  PASSED  0.163 s  PASSED  0.282 s	4	And click the search icon in list view	PASSED	0.109 s
5 And search invoice type as expense PASSED 0.761 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And search invoice status as cancelled  PASSED  0.282 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And search invoice status as cancelled  PASSED  0.163 s  PASSED  0.282 s		■ Outcompanies    Companies   Companies		
Screenshot  6 And search invoice status as cancelled  PASSED  0.282 s	5	And search invoice type as expense	PASSED	0.761 s
6 And search invoice status as cancelled  PASSED  0.282 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
6 And search invoice status as cancelled PASSED 0.282 s		screenshot		
		- No. 2 o o o o o o o o o o o o o o o o o o		
AFTED STED, standafinitional lagly Class add Syspenshot (in guarantee)	6	And search invoice status as cancelled	PASSED	0.282 s
AFTER_STEP - stepdelimitions.hooksClass.addScreenshot(to.cucumber.java.Scenano)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	0   0   0   0   0   0   0   0   0   0		
7	And click the first eye icon in the list view of cancelled invoice bill	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
	screenshot		
8	And get the invoice number from the bill viewed	PASSED	0.622 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.547 s
9	And click the notes option in top	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.158 s
10	And click the enquiry module	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		


#	Step / Hook Details	Status	Duration
11	And click the financial transaction edit icon	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
	■		
12	And select the branch code as azentio main branch	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	Screenshot   One of the contraction of the contract		
13	And select the transaction from date	PASSED	2.580 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot	]	
	The Control of Control		
14	And select the transaction to date	PASSED	2.479 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		




EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

