Cucumber Report

| Start : Feb 04, 3:28:07.153 AM	End : Feb 04, 3:28:42.397 AM	Duration : 35.244 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 4

1

1

15

Pass % 0 %

Pass % 0 %

Pass % 66 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Inventory Maintenance functionality	1	0	1	0	35.244 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Inventory Maintenance functionality	Unique Inventory item code should be created	15	10	1	4	35.241 s

(F)- Checking the Inventory Maintenance functionality

FAILED	*DURATION - 35.244 s*	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 15 Pass - 10 Fail - 1 Skip - 4	15
/ 3:28:07.153 AM // 3:28:42.397 AM /					

(S)- Unique Inventory item code should be created

FAILED	*DURATION - 35.241 s*		Steps	
/ 3:28:07.156 AM // 3:28:42.397 AM /			Total - 15	
Checking the Inventory Maintenance functionality			Pass - 10 Fail - 1	15
@KUBS_INV_MGMT_UAT_002_003 @MultiAuth			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.459 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
	+		
2	Then Click on Direction icon for Inventory Maintenance	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Inventory Maintenance	PASSED	0.619 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
4	Then Click on Inventory Item Master Eye Icon	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
5	Then Click on Inventory Item Add button	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
6	Then Fill Inventory Item Mandatory fields	PASSED	2.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Inventory Item Save button	PASSED	2.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot 		
8	Then Click on Inventory Item Notification	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot 		
9	And Select Inventory Item and Submit the record	PASSED	9.775 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.086 s
	screenshot 		
10	Then log in to reviewer account	PASSED	4.724 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.086 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on Notification select the record and Approve	FAILED	2.420 s

	java.lang.NullPointerException: Cannot read field "Remark" because "this.VendorPurchaseOrderTestDataType" is null
	    at stepdefinitions.AccountPayable_VendorPurchaseOrder.
	click_on_notification_select_the_record_and_approve(AccountPayable_VendorPurchaseOrder.java:303)
	    at ?.click on Notification select the record and Approve(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/
	src/test/java/features/InventoryMaintenance.feature:19)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot 		
12	Then log in to Checker Account	SKIPPED	0.000 s
13	And checker claim the record	SKIPPED	0.000 s
14	Then click on checker Notification	SKIPPED	0.001 s
15	And select the record and Approve by checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	

(S) Unique Inventory item code should be created (red text)	
(F) Checking the Inventory Maintenance functionality (red text)	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	

(S) Unique Inventory item code should be created (red text)	
(F) Checking the Inventory Maintenance functionality (red text)	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality