Cucumber Report

| Start : Dec 22, 11:25:32.506 AM	End : Dec 22, 11:26:38.580 AM	Duration : 1 m 6.074 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 5

#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	1 m 6.074 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify Accounts Payable Report post payout approval	15	9	1	5	1 m 6.068 s

(F)- AR_AP Module

FAILED	DURATION - 1 m 6.074 s	Scenarios		Steps	
/ 11:25:32.506 AM // 11:26:38.580 AM /		Total - 1		Total - 15	
		Pass - 0		Pass - 9	
		Fail - 1	1	Fail - 1	15
		Skip - 0		Skip - 5	

(S)- Verify Accounts Payable Report post payout approval

FAILED	DURATION - 1 m 6.068 s		Steps	
/ 11:25:32.512 AM // 11:26:38.580 AM /			Total - 15	
AR_AP Module			Pass - 9	
@KUBS_AR_AP_UAT_006_002_TC_005 @AR/AP			Fail - 1 Skip - 5	15

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	43.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.649 s
	screenshot		
2	And click on accounts Payable module	PASSED	3.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of manual payout	PASSED	0.378 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.642 s
	screenshot 		
4	Then click on search	PASSED	0.860 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot 		
5	And user update the Excelsheet Testdata for Account Payable post Payout approval	PASSED	0.030 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot 		
6	And search the payout completed reference number	PASSED	4.606 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot 		
7	Then click on report segment button	PASSED	2.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And click on report main menu	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
9	And click on accouts payable report	PASSED	0.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
10	And enter businessPartner name for multiple records	FAILED	0.239 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	  at stepdefinitions.AR_AP_Module.enter_businesspartner_name_for_multiple_records(AR_AP_Module.java:2814)
	  at ?.enter businessPartner name for multiple records(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:700)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And click on date icon	SKIPPED	0.001 s
12	And give date in report	SKIPPED	0.000 s
13	And give status of the settlement record	SKIPPED	0.000 s
14	And click on the view button	SKIPPED	0.000 s
15	And verify the advance record is available in the payable report section	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Payable Report post payout approval	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Payable Report post payout approval	
(F) AR_AP Module	