Cucumber Report

| *Start : Feb 08, 3:48:10.658 pm*	*End : Feb 08, 3:49:11.681 pm*	*Duration : 1 m 1.023 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 4

1

1

12

Pass %
0 %

Pass %
0 %

Pass %
58 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	1	0	1	0	1 m 1.023 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Check Asset Serial Number	12	7	1	4	1 m 1.017 s

(F)- Check the Functionality of Fixed Asset

FAILED	DURATION - 1 m 1.023 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 3:48:10.658 pm // 3:49:11.681 pm /		Pass - 0	1	Pass - 7	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- Check Asset Serial Number

FAILED	DURATION - 1 m 1.017 s		Steps	
/ 3:48:10.664 pm // 3:49:11.681 pm /			Total - 12	
Check the Functionality of Fixed Asset			Pass - 7	12
			Fail - 1	
@KUBS_FAT_UAT_013_006			Skip - 4	

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	39.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.238 s
	screenshot		
	+		
2	And User click the fixed assert config button	PASSED	1.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And User click the assert serial number setup tempview	PASSED	0.601 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.900 s
	screenshot		
4	And User get the assert code in fixed assert config	PASSED	2.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s
	screenshot		
5	Then click on report icon	PASSED	2.712 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	screenshot		
6	And user should navigate to master reports menu	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
7	Then click on temp grid button of asset serial number	PASSED	0.405 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And User enter the assert code	FAILED	0.090 s

	java.lang.NullPointerException: Cannot invoke "java.util.Map.get(Object)" because "this.checkAssertSerialNum" is null
	    at stepdefinitions.Reports_AssetCreationCommon.user_enter_the_assert_code(Reports_AssetCreationCommon.java:927)
	    at ?.User enter the assert code(file:///C:/Users/ININDC00071/git/AzentioAutomationFramework_KarthiM/AzentioAutomationFramework_ExcelKUBSKarthiM2/src/test/java/features/FixedAssetCreation.feature:74)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.259 s
9	And User enter the start assert serial number	SKIPPED	0.001 s
10	And User select the date in assert report	SKIPPED	0.000 s
11	Then click in the view button to check	SKIPPED	0.000 s
12	Then the report is displaying all the asset codes details for a branch	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

AZENTIO
ONEBanking

11-Dec-2022   English ▾   Azentio Software ▾   (AZENTMAIN)   ANANT

Finance ▾

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configuration
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro...   11 Mess...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

AZENTIO
ONEBanking

11-Dec-2022   English ▾   Azentio Software ▾   (AZENTMAIN)   ANANT

Finance ▾

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configuration
- Budget configuration
- Fixed assets configuration
  - Asset category
  - Asset code configuration
  - Branch level depreciation
  - Asset GL configuration
  - Asset serial number setup
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro...   11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset