Cucumber Report

| Start : Feb 27, 8:14:12.343 AM	End : Feb 27, 8:14:28.753 AM	Duration : 16.410 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Appropriation functionality	1	0	1	0	16.410 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable Appropriation functionality	Below amount must be correctly calculated & displayed post receipt appropriation.	7	6	1	0	16.407 s

### (F)- Checking the Acount Receivable Appropriation functionality

FAILED	DURATION - 16.410 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 8:14:12.343 AM // 8:14:28.753 AM /		Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Below amount must be correctly calculated & displayed post receipt appropriation.

FAILED	DURATION - 16.407 s		Steps	
/ 8:14:12.346 AM // 8:14:28.753 AM /			Total - 7	
Checking the Acount Receivable Appropriation functionality			Pass - 6	7
			Fail - 1	
@MultiAuth @KUBS_AR/AP_UAT_010_005_TC_04			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Account Recivable button	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
4	Then Click on Account Recivable Appropriation eye button	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
5	Then Click to add record in Account Recivable	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
6	Then Check receipt is available for Appropriation	PASSED	0.708 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then enter App Amount check the calculation for Outstanding amount for Receivable	FAILED	0.141 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	    at stepdefinitions.AccountReceivable_Appropriation.
	enter_app_amount_check_the_calculation_for_outstanding_amount_for_receivable(AccountReceivable_Appropriation.java:68)
	    at ?.enter App Amount check the calculation for Outstanding amount for Receivable(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountReceivable_Appropriation.feature:34)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Below amount must be correctly calculated & displayed post receipt appropriation.	
(F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Below amount must be correctly calculated & displayed post receipt appropriation.	
(F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Below amount must be correctly calculated & displayed post receipt appropriation. (F) Checking the Acount Receivable Appropriation functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Below amount must be correctly calculated & displayed post receipt appropriation. (F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality