Cucumber Report

Start : Jan 10, 9:24:36.711 PM	End : Jan 10, 9:24:48.774 PM	Duration : 12.063 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	1	0	0	12.063 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	To verify user is able to search particular Supplementory Budgets record using search criteria.	6	6	0	0	12.058 s

(F)- Checking the Supplementary Budget functionality

PASSED	DURATION - 12.063 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 9:24:36.711 PM // 9:24:48.774 PM /		Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify user is able to search particular Supplementory Budgets record using search criteria.

PASSED	DURATION - 12.058 s		Steps	
			Total - 6	
/ 9:24:36.716 PM // 9:24:48.774 PM /			Pass - 6	6
Checking the Supplementary Budget functionality			Fail - 0	
@SupplementaryBudget_BP_SB_18_02			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	7.847 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
	+		
2	And maker should navigate to the budget module	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
4	When maker click on budget supplementary eye icon	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
5	And maker navigate to search icon and fill the required Details	PASSED	0.478 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
6	Then maker should select the record	PASSED	0.067 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to search
particular Supplementory Budgets record
using search criteria.

(F) Checking the Supplementary Budget
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to search
particular Supplementory Budgets record
using search criteria.

(F) Checking the Supplementary Budget
functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user is able to search particular Supplementory Budgets record using search criteria.	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify user is able to search particular Supplementory Budgets record using search criteria.	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to search
particular Supplementory Budgets record
using search criteria.

(F) Checking the Supplementary Budget
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to search
particular Supplementory Budgets record
using search criteria.

(F) Checking the Supplementary Budget
functionality