


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	1	0	1	0	41.176 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	Cancel receipt appropriation through Online Mode	23	4	1	18	41.170 s

DETAILED SECTION -- 4 --

(F)- ACCOUNTS RECEIVABLE

FAILED	DURATION - 41.176 s	Scenarios		Steps	
		Total - 1		Total - 23	
/ 10:17:15.564 A	M // 10:17:56.740 AM /	Pass - 0	1	Pass - 4	23
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 18	

(S)- Cancel receipt appropriation through Online Mode



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	16.771 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.632 s
	screenshot		
2	And user should navigate to accounts receivable menu	PASSED	1.975 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		


#	Step / Hook Details	Status	Duration
	■		
3	When click on eye button of receipts	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	1.793 s
	○ Manusaria		
4	Then get the txn number	PASSED	1.041 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot ***Part Date Date		
5	When click on eye button of receipts reversals	FAILED	1.155 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button class="menuicons ion-color ion-color-medium md button button-small button-clear ion-activatable ion-focusable hydrated" color="medium" ng-reflect-color="medium" ng-reflect-query-params="[object Object]" ng-reflect-router-direction="root" ng-reflect-router-link="/tabs/list/datagrid-view/210" ng-reflect-router-link-active="active" routerlinkactive="active" tabindex="0"></ion-button> is not clickable at point (194, 708). Other element would receive the click: <ion-label_ngcontent-lug-c278="" class="sc-ion-label-md-h sc-ion-label-md-s md hydrated"> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11015d576800920b9385c12d320193f4, clickElement {id=ce1346a8-9c15-4384-b350-45bbc82af3f4}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:58393}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58393/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (11015d576800920b9385c12d320193f4)] -> xpath: //div[5]/ion-menu-toggle[5]/ion-item//ion-buttons//ion-buttons//ion-button[2]] Session ID: 11015d576800920b9385c12d320193f4</ion-label_ngcontent-lug-c278="">		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:194) at org.openqa.selenium.remote.RemoteWebDirver.execute(RemoteWebDirver.java:517) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.geflect.NativeMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Delegatin	PASSED	0.180 s
	Screenshot *** ********************************		
6	And click on add button for cancel receipt	SKIPPED	0.000 s
7	And Fill the required fields to cancel the receipts through online mode	SKIPPED	0.000 s
8	Then save the record to cancel the receipts	SKIPPED	0.000 s
9	And select the record actions button	SKIPPED	0.001 s
10	Then click on initiate the record	SKIPPED	0.000 s
11	And record status	SKIPPED	0.001 s
12	And select the record pencil icon	SKIPPED	0.000 s


DETAILED SECTION --- 7 -

#	Step / Hook Details	Status	Duration
13	Then submit the record from maker to cancel the receipts	SKIPPED	0.000 s
14	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
15	Then Click on notification button in reviewer	SKIPPED	0.000 s
16	And approve the record by the reviewer user	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
18	And Click on security management in checker	SKIPPED	0.000 s
19	Then Click on open pool in checker	SKIPPED	0.001 s
20	And Click on claim button in checker	SKIPPED	0.000 s
21	And capture claimed status	SKIPPED	0.000 s
22	Then click on notification in checker	SKIPPED	0.000 s
23	Then checker should approved the invoice billing	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --



EXPANDED SECTION



EXPANDED SECTION -- 10 --

