Cucumber Report

Start : Feb 03, 2:55:25.514 AM	*End : Feb 03, 2:58:01.172 AM*	*Duration : 2 m 35.658 s*
Features	Scenarios	Steps

PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 5

1

1

6

#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	2 m 35.658 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*ACCOUNTS PAYABLE*	*Bill(invoice) Booking*	6	0	1	5	*2 m 35.650 s*

(F)- ACCOUNTS PAYABLE

FAILED	DURATION - 2 m 35.658 s	Scenarios		Steps	
/ 2:55:25.514 AM // 2:58:01.172 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 6 Pass - 0 Fail - 1 Skip - 5	6

(S)- Bill(invoice) Booking

FAILED	DURATION - 2 m 35.650 s		Steps	
/ 2:55:25.522 AM // 2:58:01.172 AM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	6
ACCOUNTS PAYABLE				
@KUBS_INV_MGMT_UAT_001_005				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	FAILED	47.381 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aa733b95483942ffcfc5a542322f6b86, clickElement {id=047b1458-3517-47e1-bac6-afa33e052dea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64714}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64714/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (aa733b95483942ffcfc5a542322f6b86)] -> xpath: //ion-item[2]/ion-radio] Session ID: aa733b95483942ffcfc5a542322f6b86
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:46) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:47) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/ java/features/ACCOUNTSPAYABLE_VendorContracts.feature:29) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	1.574 s
2	And user should navigate to accounts payable menu	SKIPPED	0.001 s
3	When click on eye button of invoice booking	SKIPPED	0.000 s
4	And click on add button for invoice booking	SKIPPED	0.000 s
5	And Fill the required fields for invoice booking	SKIPPED	0.000 s
6	Then Save and submit the invoice billing	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

☰　🌐　Kastle Universal Banking (Beta)　　　　　　　　03-Oct-2022　English ▾　Azentio Software ▾　(AZENTMAIN)　🔔　⬛　👤 ANANT

Configuration　　　　　　　　　　　　　　　　　▾　　　Welcome, anant

| Configuration | ◉ |
| Finance | ○ |

⊙　Security management

⊙　User management

⊙　Job scheduler

⊙　Reference data

⊙　Tax configuration

⊙　Workflow configuration

22 Appro... ⊗　　11 Messa... ⊗　　　　　　　　　⠿　　　　　➤
　　　　　　　　　　　　　　　　　　　　　Home　　Preference