# Cucumber Report

| Start : Dec 15, 11:51:02.215 am | End : Dec 15, 11:51:30.986 am | Duration : 28.771 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 3<br>FAILED - 1<br>SKIPPED - 13 |

1

1

17

Pass %

0 %

0 %

17 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | AR_AP Module | 1 | 0 | 1 | 0 | 28.771 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | AR_AP Module | Verify Accounts Payable Report post payout approval (Payout for multiple bills) | 17 | 3 | 1 | 13 | 28.764 s |

## (F)- AR_AP Module

| FAILED | DURATION - 28.771 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | / 11:51:02.215 am // 11:51:30.986 am / | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 17<br>Pass - 3<br>Fail - 1<br>Skip - 13 | 17 |

## (S)- Verify Accounts Payable Report post payout approval (Payout for multiple bills)

| FAILED | DURATION - 28.764 s | | Steps | |
|---|---|---|---|---|
| | / 11:51:02.222 am // 11:51:30.986 am /<br><br>AR_AP Module<br><br>@AR/AP @KUBS_AR_AP_UAT_006_001_TC_04 | | Total - 17<br>Pass - 3<br>Fail - 1<br>Skip - 13 | 17 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 18.840 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.585 s |
| | screenshot | | |
| |  | | |
| 2 | And click on accounts Payable module | PASSED | 2.337 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.268 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | When click on eye button of manual payout | PASSED | 0.373 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.440 s |
| | screenshot | | |
| |  + | | |
| 4 | Then click on search | FAILED | 1.122 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-icon _ngcontent-yva-c277="" slot="end" title="Enable Search" style="cursor: pointer;" ng-reflect-color="primary" ng-reflect-name="search" role="img" class="md ion-color ion-color-primary hydrated" aria-label="search" name="search"></ion-icon> is not clickable at point (1888, 87). Other element would receive the click: <div _ngcontent-yva-c177="" class="ngx-overlay foreground-closing" style="background-color: rgba(40, 40, 40, 0.8); border-radius: 0px;">...</div>   (Session info: chrome=108.0.5359.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [49dc865ed85314d1c1241e4de077703e, clickElement {id=0be58595-edb9-471b-b7cf-6ea4562b6588}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.99, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49868}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49868/devtoo..., se:cdpVersion: 108.0.5359.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (49dc865ed85314d1c1241e4de077703e)] -> xpath: (//ion-buttons/ion-item/ion-icon)[2]] Session ID: 49dc865ed85314d1c1241e4de077703e<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>    at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>at stepdefinitions.AR_AP_Module.click_on_search(AR_AP_Module.java:1090)<br>at ?.click on search(file:///C:/Users/inindc00075/git/Updated_Kubs_Arshath/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:567)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.302 s |
| 5 | And user update the Excelsheet Testdata for Account payable post payout | SKIPPED | 0.000 s |
| 6 | And search the multiple bill payout approved reference number | SKIPPED | 0.001 s |
| 7 | And click on that record | SKIPPED | 0.000 s |
| 8 | And get the invoice number | SKIPPED | 0.000 s |
| 9 | Then click on report segment button | SKIPPED | 0.000 s |
| 10 | And click on report main menu | SKIPPED | 0.000 s |
| 11 | And click on accouts payable report | SKIPPED | 0.000 s |
| 12 | And enter businessPartner name for multiple record | SKIPPED | 0.000 s |
| 13 | And click on date icon | SKIPPED | 0.000 s |
| 14 | And give date in report | SKIPPED | 0.000 s |
| 15 | And give status of the settlement record | SKIPPED | 0.001 s |
| 16 | And click on view button | SKIPPED | 0.000 s |
| 17 | Then verify the approved invoice reference number are available in the payable report | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)

(F) AR_AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)

(F) AR_AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)

(F) AR_AP Module