
Duration: 29.015 s Start: Apr 01, 11:30:45.173 AM End: Apr 01, 11:31:14.188 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 12 SKIPPED - 0 SKIPPED - 0 SKIPPED - 30 43 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 27 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	1	0	1	0	29.015 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	Check the impairement of asset (Transfer)	43	12	1	30	29.006 s

DETAILED SECTION -- 4 --

(F)- To check the asset impairement module in fixed asset module

FAILED	DURATION - 29.015 s	Scenarios		Steps	
		Total - 1		Total - 43	
/ 11:30:45.173 A	AM // 11:31:14.188 AM /	Pass - 0	1	Pass - 12	43
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	


(S)- Check the impairement of asset (Transfer)



#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	12.918 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.667 s
	screenshot		
	*** The state of t		
2	And click on fixed asset main module	PASSED	0.600 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

3 And goto asset transfer module and choose the edit icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And click on search icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed D. 280 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed O. 280 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed O. 280 s O. 280 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) APASSED 0.341 s 4 And click on search icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 5 And get the active reference number in asset Transfer module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.280 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 1 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.163 s				
screenshot 4 And click on search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And get the active reference number in asset Transfer module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And click on search icon PASSED 0.472 s PASSED 0.178 s 0.163 s	3	And goto asset transfer module and choose the edit icon	PASSED	0.369 s
4 And click on search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And get the active reference number in asset Transfer module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 1 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
4 And click on search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And get the active reference number in asset Transfer module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And get the active reference number in asset Transfer module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 ASSED 0.178 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And get the active reference number in asset Transfer module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.178 s 0.178 s		Variety Vari		
screenshot 5 And get the active reference number in asset Transfer module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 1 And 3 SED O.280 S AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.163 S	4	And click on search icon	PASSED	0.472 s
5 And get the active reference number in asset Transfer module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The state of th		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
5 And get the active reference number in asset Transfer module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.280 s 0.163 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.163 s				
Screenshot ***********************************	5	And get the active reference number in asset Transfer module	PASSED	0.280 s
**************************************		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
The state of the		screenshot		
		Section Sect		
6 And click on view button near by asset impairement module PASSED 0.180 s	6	And click on view button near by asset impairement module	PASSED	0.180 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.496 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.496 s
screenshot		screenshot	7	


7 And click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset reference number of transfered asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset reference number of transfered asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset reference number of transfered asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumbe	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ### PASSED		*** ***		
Screenshot 8 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset reference number of transfered asset AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset reference number of transfered asset AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.249 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s	7	And click on Add Icon	PASSED	0.243 s
8 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot And choose the asset reference number of transfered asset ATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot ATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.249 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
8 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.131 s PASSED 0.161 s O.161 s PASSED 0.161 s PASSED 0.161 s PASSED 0.161 s PASSED 0.162 s O.162 s O.163 s O.164 s O.165 s O.165 s O.165 s O.166 s O.166 s O.167 s O.167 s O.168 s O.169 s O.169 s O.169 s O.160 s O.16		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset reference number of transfered asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.161 s 0.161 s 0.162 s 0.163 s 0.164 s PASSED 0.164 s PASSED 0.164 s 0.164 s PASSED 0.162 s 0.162 s 0.163 s		No.		
screenshot 9 And choose the asset reference number of transfered asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.249 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s	8	Then Check System shuld display the input fields	PASSED	0.131 s
9 And choose the asset reference number of transfered asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.249 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s PASSED 0.249 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s		** O footbesterestation ** ** ** ** ** ** ** ** ** ** ** ** *		
Screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.249 s 0.199 s	9	And choose the asset reference number of transfered asset	PASSED	1.044 s
10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.249 s 0.199 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.249 s 0.199 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s		1		
	10	And choose the asset Item no	PASSED	0.249 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
		screenshot		




DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
14	Then click on notification button	SKIPPED	0.000 s
15	Then choose first record in the notification record	SKIPPED	0.000 s
16	And click on Submit button	SKIPPED	0.000 s
17	Then enter remark in confirmation alert	SKIPPED	0.001 s
18	Then click on submit button in alert	SKIPPED	0.000 s
19	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
20	Then logout from maker	SKIPPED	0.001 s
21	And login with reviewer credentials	SKIPPED	0.000 s
22	Then click on notification button	SKIPPED	0.001 s
23	And select our record in notification records using reference ID	SKIPPED	0.000 s
24	Then Approve the record from reviewer	SKIPPED	0.000 s
25	And enter the remark in alert	SKIPPED	0.000 s
26	Then click on submit in alert	SKIPPED	0.000 s
27	Then verify the approval status of the record	SKIPPED	0.000 s
28	And logout from reviewer	SKIPPED	0.000 s
29	Then login as a checker	SKIPPED	0.001 s
30	And click on security management menu in checker	SKIPPED	0.000 s
31	Then click on action button under security management menu	SKIPPED	0.000 s
32	And select our record and clime using reference ID	SKIPPED	0.000 s
33	Then click on Notification button	SKIPPED	0.000 s
34	Then select our record in notification records by the help of reference ID	SKIPPED	0.001 s
35	And click on approve button in checker stage	SKIPPED	0.000 s
36	Then give alert remark	SKIPPED	0.001 s
37	Then click on submit button on alert	SKIPPED	0.000 s
38	And verify the record got approved from checker	SKIPPED	0.000 s
39	Then logout from checker	SKIPPED	0.000 s
40	And login with Maker ID	SKIPPED	0.000 s
41	And click on fixed asset main module	SKIPPED	0.000 s
42	And click on view button near by asset impairement module	SKIPPED	0.000 s
43	Then check the approved record is displayed in appeared in maker list view stage	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION --- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

