Cucumber Report

| **Start : Mar 28, 12:42:44.598 pm**	**End : Mar 28, 12:43:12.997 pm**	**Duration : 28.399 s**
Features	*Scenarios*	*Steps*
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 16

Features: 1

Scenarios: 1

Steps: 28

Pass %: 0 %

Pass %: 0 %

Pass %: 39 %

#	Feature Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	1	0	1	0	28.399 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	Check inventory stock confirmation	28	11	1	16	28.393 s

## (F)- Check unwanted inventory stock can be return to the Branch

FAILED	DURATION - 28.399 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 12:42:44.598 pm // 12:43:12.997 pm /		Pass - 0	1	Pass - 11	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- Check inventory stock confirmation

FAILED	DURATION - 28.393 s		Steps	
/ 12:42:44.604 pm // 12:43:12.997 pm /			Total - 28	
Check unwanted inventory stock can be return to the Branch			Pass - 11	28
			Fail - 1	
@KUBS_INV_MGMT_UAT_004_StockConfirm			Skip - 16	

#	Step / Hook Details	Status	Duration
1	Given Launch the Azentio maker url	PASSED	12.943 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
2	Then Inventory Second direction icon	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.387 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Inventory Management Module	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
4	Then Click on Stock issue eye icon	PASSED	0.349 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
5	And Click on First record eye icon	PASSED	0.683 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
6	Then Get the New Request Referance No	PASSED	0.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Click on Inventory stock confirmation eye icon	PASSED	0.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		
8	And Sub module Inventory stock confirmation click Add icon	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
9	Then Enter Request Referance Number	PASSED	0.482 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
10	And Enter Item code Number	PASSED	0.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.611 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Accept the status in checkbox	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot 		
12	And click the save icon for StockConfirm	FAILED	1.241 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <div class="ng-tns-c135-0 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-error" toast-component="" style="opacity: 1;">...</div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aeff6a76100468131579617f6be8d0bb, clickElement {id=0700563e-4850-4b11-9a06-aec2bafa1052}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55890}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55890/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (aeff6a76100468131579617f6be8d0bb)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: aeff6a76100468131579617f6be8d0bb
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.INVENTORY_StockConfirm.click_the_save_icon_for_stockconfirm(INVENTORY_StockConfirm.java:153) at ?.click the save icon for StockConfirm(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:56) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.184 s
13	And goto maker Notification icon	SKIPPED	0.000 s
14	Then Click Submit button to Inventory Record	SKIPPED	0.000 s
15	And Give Remark and submit to reviewer	SKIPPED	0.000 s
16	Given Login As Reviewer	SKIPPED	0.002 s
17	And Goto Reviewer Notification	SKIPPED	0.000 s
18	Then open the submitted Record from maker	SKIPPED	0.000 s
19	And Approve the Record in Reviewer	SKIPPED	0.000 s
20	Then Enter The Remark and submit in Reviewer	SKIPPED	0.000 s
21	Given Login As Checker	SKIPPED	0.000 s
22	Then Click Security management module	SKIPPED	0.000 s
23	And Click Sub module open Pool Edit icon	SKIPPED	0.001 s
24	And Claim the submitted Record	SKIPPED	0.000 s
25	Then Goto Checker Notification	SKIPPED	0.000 s
26	And Open the Record Approve from Reviewer	SKIPPED	0.000 s
27	And Approve the Record in Checker End	SKIPPED	0.000 s
28	Then Enter the Remark and submit the record in checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

	Kastle Universal Banking (Beta)	04-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▶ 👤 ANANT

Finance

Business partner setup
General ledger configuration
Accounting setup
Expense/AR & AP configurati...
Budget configuration
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

Welcome, anant

22 Appro... ✕   11 Messa... ✕

Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

	Kastle Universal Banking (Beta)	04-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▶ 👤 ANANT

Finance

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management
Petty cash
Bank recon

Welcome, anant

22 Appro... ✕   11 Messa... ✕

Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

Kastle Universal Banking (Beta)   04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Stock Issue Grid

Actions	Branch Code - Name	Transaction Date	Issue Reference No	Status	Created By	Created Date	Auth Status
👁 ✏	AZENTMAIN - Azentio N	04-NOV-2022 12:39:5(	TRN_SI_79_202203281	Active	1002435	28-Mar-2022	A
👁 ✏	AZENTMAIN - Azentio N	04-NOV-2022 12:26:5£	TRN_SI_78_202203281	Active	1002435	28-Mar-2022	A
👁 ✏	AZENTMAIN - Azentio N	04-NOV-2022 12:01:2(	TRN_SI_77_202203281	Active	1002435	28-Mar-2022	A
👁 ✏	AZENTMAIN - Azentio N	04-NOV-2022 11:48:4£	TRN_SI_76_202203281	Active	1002435	28-Mar-2022	A
👁 ✏	AZENTMAIN - Azentio N	04-NOV-2022 11:45:2:	TRN_SI_75_202203281	Active	1002435	28-Mar-2022	A
👁 ✏	AZENTMAIN - Azentio N	04-NOV-2022 11:37:53	TRN_SI_74_202203281	Active	1002435	28-Mar-2022	A
👁 ✏	AZENTMAIN - Azentio N	04-NOV-2022 10:54:11	TRN_SI_73_202203251	Active	1002435	25-Mar-2022	A
👁 ✏	AZENTMAIN - Azentio N	19-OCT-2022 12:30:28	TRN_SI_72_202203031	Active	1002435	03-Mar-2022	A

56 total |◀ <   1 2 3 4 5 > ▶|

Accounts receivable
Fixed assets
Inventory management
  Inventory request
  Purchase requisition confirmation
  Inventory stock receipt
  Inventory stock issue
  Inventory stock confirmation
  Stock return from branch
Petty cash
Bank recon
22 Appro... 11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

Kastle Universal Banking (Beta)   04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Stock Issue

* Inventory Item	* Branch Code	* Request Reference Number
MARKER - White boad Marker	AZENTMAIN-Azentio Main Branch	TRN_IR_139_20220208115308

Currency	Requested Quantity	Available Quantity
INR	10	723

Issue Quantity	Start Serial Number	End Serial Number
10	404	413

Status
ACTIVE

Accounts receivable
Fixed assets
Inventory management
  Inventory request
  Purchase requisition confirmation
  Inventory stock receipt
  Inventory stock issue
  Inventory stock confirmation
  Stock return from branch
Petty cash
Bank recon
22 Appro... 11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch