Cucumber Report

| Start : May 10, 2:36:19.125 pm	End : May 10, 2:36:43.810 pm	Duration : 24.685 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 30

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	0	1	0	24.685 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	Create a category for the accounting type based on the base accounting book for Liability	39	8	1	30	24.681 s

(F)- Check the Functionality of the GL1 Module

FAILED	DURATION - 24.685 s	Scenarios		Steps	
/ 2:36:19.125 pm // 2:36:43.810 pm /		Total - 1		Total - 39	
		Pass - 0	1	Pass - 8	39
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	

(S)- Create a category for the accounting type based on the base accounting book for Liability

FAILED	DURATION - 24.681 s		Steps	
/ 2:36:19.129 pm // 2:36:43.810 pm /			Total - 39	
Check the Functionality of the GL1 Module			Pass - 8	39
@KUBS_GL_UAT_003_002			Fail - 1	
			Skip - 30	

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	15.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		
2	When user click the Accounting setup	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click accounting category eye icon	PASSED	0.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
4	And click add icon in Gl	PASSED	0.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		
5	And enter the category code as Liability	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
6	And select the accounting book	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	And enter the accounting category as Liability	PASSED	0.242 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
8	And select GI code generation	PASSED	0.416 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
9	And click on save the accounting record	FAILED	1.105 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> is not clickable at point (1414, 88). Other element would receive the click: <div class="ng-tns-c136-0 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-error" toast-component="" style="opacity: 1;">...</div> (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [49499ee49077a2d977d595031868cca5, clickElement {id=48c680e6-e966-4137-9657-9aba30adb29f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58514}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58514/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (49499ee49077a2d977d595031868cca5)] -> xpath: (//ion-toolbar/ion-buttons)[6]] Session ID: 49499ee49077a2d977d595031868cca5
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.Gl_Module.click_on_save_the_accounting_record(Gl_Module.java:79) at ?.click on save the accounting record(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:264) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.193 s
10	And click notification button	SKIPPED	0.001 s
11	Then choose first record in the notification record	SKIPPED	0.000 s
12	And click on Submit button	SKIPPED	0.000 s
13	Then enter remark in confirmation alert	SKIPPED	0.000 s
14	Then click on submit button in alert	SKIPPED	0.000 s
15	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
16	Then logout from maker	SKIPPED	0.001 s
17	And login with reviewer credentials	SKIPPED	0.000 s
18	Then click on notification button	SKIPPED	0.000 s
19	And select our record in notification records using reference ID	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
20	Then Approve the record from reviewer	SKIPPED	0.001 s
21	And enter the remark in alert	SKIPPED	0.000 s
22	Then click on submit in alert	SKIPPED	0.000 s
23	Then verify the approval status of the record	SKIPPED	0.000 s
24	And logout from reviewer	SKIPPED	0.000 s
25	Then login as a checker	SKIPPED	0.000 s
26	And click on security management menu in checker	SKIPPED	0.001 s
27	Then click on action button under security management menu	SKIPPED	0.000 s
28	And select our record and clime using reference ID	SKIPPED	0.001 s
29	Then click on Notification button	SKIPPED	0.000 s
30	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
31	And click on approve button in checker stage	SKIPPED	0.000 s
32	Then give alert remark	SKIPPED	0.000 s
33	Then click on submit button on alert	SKIPPED	0.000 s
34	And verify the record got approved from checker	SKIPPED	0.000 s
35	Then logout from checker	SKIPPED	0.000 s
36	And login with Maker ID	SKIPPED	0.000 s
37	When user click the Accounting setup	SKIPPED	0.000 s
38	And click accounting category eye icon	SKIPPED	0.000 s
39	Then verify the accounting category created for liability	SKIPPED	0.001 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a category for the accounting type based on the base accounting book for Liability	
(F) Check the Functionality of the GL1 Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a category for the accounting type based on the base accounting book for Liability	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a category for the accounting type based on the base accounting book for Liability

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a category for the accounting type based on the base accounting book for Liability

(F) Check the Functionality of the GL1 Module

Accounting Category Configuration

Actions		Legal Entity Name	Category Code	Accounting Category	Accounting Book	Template Type	Txn Date	Status
👁	✏	Azentio Software	LIABILITY1301475	LIABILITY1302	Testing02	CUSTOM_TEMPLATE	10-May-2022	Active
👁	✏	Azentio Software	LIABILITY2	Liability02	Testing_32507	Base Template	27-Apr-2022	Active
👁	✏	Azentio Software	ASSET305192	ASSET104	Testing02	CUSTOM_TEMPLATE	26-Apr-2022	Active
👁	✏	Azentio Software	ASSET305138	ASSET103	Testing02	CUSTOM_TEMPLATE	26-Apr-2022	Active
👁	✏	Azentio Software	EXPENDITURE64	Expenditure53	Testing_32507	Base Template	25-Apr-2022	Active
👁	✏	Azentio Software	INCOME33	Income32	Testing_32507	Base Template	25-Apr-2022	Active
👁	✏	Azentio Software	INCOME33	Income32	Testing_32540	Base Template	25-Apr-2022	Active
👁	✏	Azentio Software	LIABILITY1300	LIABILITY1300	Testing02	CUSTOM_TEMPLATE	25-Apr-2022	Active

77 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a category for the accounting type based on the base accounting book for Liability

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a category for the accounting type based on the base accounting book for Liability

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a category for the accounting type based on the base accounting book for Liability	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a category for the accounting type based on the base accounting book for Liability	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a category for the accounting type based on the base accounting book for Liability

(F) Check the Functionality of the GL1 Module