
Duration: 1 m 44.050 s Start: Mar 23, 4:01:46.271 pm End: Mar 23, 4:03:30.321 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 7 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 13 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 53 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the Appropriation master full flow	1	0	1	0	1 m 44.050 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the Appropriation master full	To verify the user enter the invalid details in appropriation	13	7	1	5	1 m 44.043 s
	flow	master					

DETAILED SECTION -- 4 --

(F)- To verify the Appropriation master full flow

FAILED	DURATION - 1 m 44.050 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 4:01:46.271 pr	m // 4:03:30.321 pm /	Pass - 0	1	Pass - 7	13
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- To verify the user enter the invalid details in appropriation master



#	Step / Hook Details	Status	Duration
1	Given User login as uls maker in asset CD master	PASSED	26.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
	ADDITION THAT IS A SECOND TO THE SECOND TO T		
2	And User change module options from configuration to los	PASSED	5.494 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.588 s
	screenshot		
	ASSERTIO See SEE F. NO. 100 100 100 100 100 100 100 100 100 10		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.265 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.141 s PASSED O.258 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.259 s	#	Step / Hook Details	Status	Duration
Screenshot Then User click the config manager in Appropriation master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	3	Then User click the Configurations in asset auto master	PASSED	0.211 s
4 Then User click the config manager in Appropriation master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then User click the Appropriation master edit icon After_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
4 Then User click the config manager in Appropriation master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User click the Appropriation master edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User click the Appropriation master edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.328 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.328 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
screenshot And User click the Appropriation master edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User click the action edit icon in Appropriation master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	4	Then User click the config manager in Appropriation master	PASSED	0.122 s
And User click the Appropriation master edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User click the action edit icon in Appropriation master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.328 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ACTION OF THE PASSED CLASS SCENARIO CONTROL OF THE PASSED CLASS SCENARIO CONTROL OF THE PASSED CLASS SCENARIO CONTROL OF THE PASSED CLASS SCENARIO		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.404 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot A Ad User click the Appropriation master edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User click the action edit icon in Appropriation master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And User click the action edit icon in Appropriation master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 2.328 s PASSED 0.259 s				
screenshot And User click the action edit icon in Appropriation master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.259 s	5	And User click the Appropriation master edit icon	PASSED	0.141 s
And User click the action edit icon in Appropriation master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot O.259 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
And User click the action edit icon in Appropriation master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Output PASSED Output PASSED Output Out		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.259 s				
screenshot Approx Approx	6	And User click the action edit icon in Appropriation master	PASSED	2.328 s
AZENTO Service of the control of th			PASSED	0.259 s
		screenshot		
7 And Hear click the add icon in list of Appropriation details for Appropriation master				
And user click the add icon in list of Appropriation details for Appropriation master PASSED 2.386 S	7	And User click the add icon in list of Appropriation details for Appropriation master	PASSED	2.386 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.308 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	A AZENTO A DESTRUCTION A DESTRUCT		
8	And User enter the values in due type for Appropriation master validation	FAILED	1 m 1.163 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.110) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.17', os.name: Windows 10', os.arch.' amdé4', os.version: '10.0', java.version: '19.0.1' prior info: org.openqa.selenium.chrome. ChromeDriver Command: [00e18814757130635d53d58d366d941c2e, findElement (using=xpath, value=l/ion-label[contains(text)]. Due Type]]/following-sibling:ion-select]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.110, chrome: (chromedriverVersion: 110.05481.77' (65ed616c668e, userDataDir: C:UsersiNINIDOC=1\AppDataL		

#	Step / Hook Details	Status	Duration
	user_enter_the_values_in_due_type_for_appropriation_master_validation(Appropriation_MasterStep.java:446) at ?.User enter the values in due type for Appropriation master validation(file:///C:/Users/ININDC00071/git/Azentio_ULS_Karthi_M_KULS/mKarthi_AzentioULSFramework4/src/test/java/features/Appropriation_Master_FullBatch.feature:57) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.014 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.110) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.17', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [00e18814757130635d534d866d941c2e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.110, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:UsersININDDC-1\AppDataDir), goog:chromeOptions: {debuggerAddress: localhost:49385}, javascriptEnabled: true, entworkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49385/devtoo, se:cdpVersion: 111.0.5563.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 00e18814757130635d534d866d941c2e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.entryce.DriverCommandExecutor.evecute(PittpCommandExecutor.java:144) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(R		
9	And User enter the values in sequence no for Appropriation master validation	SKIPPED	0.002 s
10	And User enter the values in parent sequence no for Appropriation master validation	SKIPPED	0.000 s
11	And User enter the values in list of appropriation remarks for Appropriation master validation	SKIPPED	0.000 s
12	And User click the save icon in Appropriation master	SKIPPED	0.001 s
13	And User verify the invalid field popup confirmation in appropriation	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.013 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=111.0.5563.110) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.17', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [00e18814757130635d534d866d941c2e, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.110, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:49385}, javascriptEnabled: true,		


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		
	ws://localhost:49385/devtoo, se:cdpVersion: 111.0.5563.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 00e18814757130635d534d866d941c2e		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

