

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	1	0	0	51.070 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify the Customer Address Information Parameter details	12	12	0	0	51.054 s
	Address Details screen	<u>List view</u>					

DETAILED SECTION

(F)- Check the functionality of Customer Address Details screen

PASSED	DURATION - 51.070 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 11:50:30.715 P	M // 11:51:21.785 PM /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify the Customer Address Information Parameter details List view




#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.600 s
	screenshot		
	AZENTIO THERES		
2	And User Login as maker	PASSED	3.724 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		


Then user should click on the menu toggle	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Interpret the Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on inbox to search for the Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber		AMENTO OF THE PROPERTY OF THE		
screenshot Then click on inbox to search for the Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) Screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot	3	Then user should click on the menu toggle	PASSED	1.732 s
Then click on inbox to search for the Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.281 S 0.281		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
4 Then click on inbox to search for the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.094 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.515 s 0.515 s		C D D D D D D D D D D D D D D D D D D D		
Screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.094 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s	4	Then click on inbox to search for the Customer Address Details record	PASSED	0.281 s
Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s 0.255 s 0.255 s 0.255 s 0.212 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.515 s
Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s 0.255 s 0.255 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s 0.094 s PASSED 0.094 s PASSED 0.212 s				
Screenshot 6 Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.094 s 0.212 s	5	Then click on search button to search the record of Customer Address Details	PASSED	0.193 s
6 Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.094 s 0.212 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
6 Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.094 s 0.212 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s				
	6	Then enter the reference id of the Customer Address Details record	PASSED	0.094 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
		screenshot		


#	Step / Hook Details	Status	Duration
	## CANATION ## CA		
7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
	## CANCING ## CAN		
8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	1.718 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.501 s
	screenshot		
	### AMATO ### ### ### #### ###################		
9	Then select the Customer Address details record from the customer personal detail screen	PASSED	0.693 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.805 s
	screenshot		
	After Data		
10	Then select the record of Address details from the customer identification screen	PASSED	1.623 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.688 s
	screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	ACTION OF BELLEVIA STATES AND ACTION		
11	Then Verify the functionality of Back button on List view of Customer Address details	PASSED	1.538 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
	ACTION TO THE PARTY OF THE PART		
12	Then verify search box should display matching record with matched data of Customer Address details	PASSED	2.057 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
	ACCEPTO 12 9 10 10 10 10 10 10 10 10 10		










EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

