


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | Check the functionality of Customer Address Details screen | 1 | 0 | 1 | 0 | 1 m 31.678 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------------------------|---|----|----|---|---|--------------|
| 1 | Check the functionality of Customer | Verify the Customer Address Information Parameter details | 18 | 15 | 1 | 2 | 1 m 31.673 s |
| | Address Details screen | List view | | | | | |

DETAILED SECTION -- 4 --

(F)- Check the functionality of Customer Address Details screen

| FAILED | DURATION - 1 m 31.678 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 18 | |
| / 11:12:56.781 P | M // 11:14:28.459 PM / | Pass - 0 | 1 | Pass - 15 | 18 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |

(S)- Verify the Customer Address Information Parameter details List view

| FAILED DURATION - 1 m 31.673 s | 8 Steps | |
|---|-------------------------------------|----|
| / 11:12:56.786 PM // 11:14:28.459 PM / | 6 - Total - 18 | |
| Check the functionality of Customer Address | 4 - Pass - 15 | 18 |
| Details screen | Skip - 2 | |
| @AT_CAD_010 | 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 7.079 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.575 s |
| | screenshot | | |
| | AZENTIO TOTAL | | |
| 2 | And User Login as maker | PASSED | 3.873 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.422 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | A SENTO CO TO 9 TO | | |
| 3 | Then user should click on the menu toggle | PASSED | 1.610 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.317 s |
| | screenshot | | |
| | C D S S S S S S S S S S S S S S S S S S | | |
| 4 | Then click on inbox to search for the Customer Address Details record | PASSED | 0.313 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.438 s |
| | screenshot | | |
| | ACTIVITY CONTROL OF THE PROPERTY OF THE PROPE | | |
| 5 | Then click on search button to search the record of Customer Address Details | PASSED | 0.262 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.286 s |
| | screenshot | | |
| | ## ACCUPATION Company | | |
| 6 | Then enter the reference id of the Customer Address Details record | PASSED | 0.100 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | screenshot | | |
| | | | |


| 7 Then click on the entitle button of the Customer Address Details record of that reference id AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java.Scenario) PASSED 0.258 s 8 Then click on the Additional customer info tab in Customer Personal Information screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed 4 FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed 7 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.715 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.715 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.841 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 8 Then click on the Additional customer info tab in Customer Personal Information screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 9 Then verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 1.470 s PASSED 0.253 s | | ## ALEXPTO ## 10 | | |
| Screenshot Then click on the Additional customer info tab in Customer Personal Information screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.715 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.841 s Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.253 s | 7 | Then click on the entitle button of the Customer Address Details record of that reference id | PASSED | 0.181 s |
| 8 Then click on the Additional customer info tab in Customer Personal Information screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.715 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details PASSED 1.470 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.258 s |
| 8 Then click on the Additional customer info tab in Customer Personal Information screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.470 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.470 s PASSED 0.724 s | | Grown to the following basis of the following | | |
| 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.470 s PASSED 0.253 s | 8 | Then click on the Additional customer info tab in Customer Personal Information screen | PASSED | 1.653 s |
| 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.470 s PASSED 0.253 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.724 s |
| 9 Then select the Customer Address details record from the customer personal detail screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.470 s PASSED 0.253 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.470 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s | | The state of the s | | |
| Screenshot 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s | 9 | Then select the Customer Address details record from the customer personal detail screen | PASSED | 0.715 s |
| 10 Then Verify system should display mention fields on List view of Customer Address Information Parameter details AFTER_STEP - stepdefinitions. Hooks Class. add Screen shot (io. cucumber. java. Scenario) PASSED 0.253 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.841 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253 s | | # 200 total to the control of the co | | |
| | 10 | Then Verify system should display mention fields on List view of Customer Address Information Parameter details | PASSED | 1.470 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.253 s |
| | | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | ASSETTED CONTROL STATEMENT OF THE CONTROL STA | | |
| 11 | Then Verify the values in List view should be non editable on List view of Customer Address details | PASSED | 0.391 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.194 s |
| | screenshot | | |
| | ## ADMINISTRATES ## ADMINISTR | | |
| 12 | Then select the record of Address details from the customer identification screen | PASSED | 1.414 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.336 s |
| | screenshot | _ | |
| 13 | Then Verify the functionality of Back button on List view of Customer Address details | PASSED | 1.890 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.256 s |
| | screenshot | 7 | |
| | ACCURTED ON A CONTROLL OF THE PARTY OF THE P | | |
| 14 | Then click on export to pdf button system should download Pdf file of Customer Address details | PASSED | 1.771 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.304 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | ### ACTION CONTROL OF THE PROPERTY OF THE PROP | | |
| 15 | Then click on export to excel button system should download Excel file of Customer Address details | PASSED | 0.475 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.388 s |
| | screenshot | | |
| | ADMINISTRATION | | |
| 16 | Then verify search box should display matching record with matched data of Customer Address details | FAILED | 39.575 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (5f4805c2917839eecd56e335fca79fbb)] -> xpath: //div/span/i] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.CustomerAddressDetails. verify_search_box_should_display_matching_record_with_matched_data_of_customer_address_details(CustomerAddressDetails.java:545) at ?.verify search box should display matching record with matched data of Customer Address details(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:106) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.193 s |
| | screenshot | | |
| | ADDITION OF THE PARTY SET OF THE PARTY S | | |
| 17 | Then verify search box should not display any record with mismatched data of Customer Address details | SKIPPED | 0.000 s |
| 18 | Then Verify the functionality of add button | SKIPPED | 0.000 s |




EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

