

# Cucumber Report

17-Oct-2022, 5:49:11 pm

Start : Oct 17, 5:48:38.273 pm

End : Oct 17, 5:49:09.747 pm

Duration : 31.474 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	1	0	1	0	31.474 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	<u>verify while modification system enters the invalid data (Invalid data types)</u>	9	8	1	0	31.469 s

**(F)- check the functionality of the Warehouse Master**



<b>FAILED</b>	<b>DURATION - 31.474 s</b>	Scenarios		Steps	
/ 5:48:38.273 pm // 5:49:09.747 pm /		Total - 1		Total - 9	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


**(S)- verify while modification system enters the invalid data (Invalid data types)**

<div>FAILED</div> <div>DURATION - 31.469 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 5:48:38.278 pm // 5:49:09.747 pm /				
check the functionality of the Warehouse Master				
@AT_WHM_T006_Invalid				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	15.718 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.756 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.476 s
	screenshot		
			
4	And user click list view icon of Warehouse Master	PASSED	0.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.926 s
	screenshot		
			
5	And user click Temp view icon of Warehouse Master	PASSED	0.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.563 s
	screenshot		
			
6	And user click on First Record Edit icon	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.765 s
	screenshot		
			
7	And user Enter the value in description and Modify it	PASSED	2.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user Enter the value in Address field and Modify it	PASSED	0.742 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
			
9	And user Enter Invalid Data in warehouse Master	FAILED	2.466 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-badge[contains(text(),'Maximum allowed length is 50')]"}</p> <p>(Session info: chrome=106.0.5249.119) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [546112e0a131ecd5b4db0125612e59ac, findElement {using=xpath, value=//ion-badge[contains(text(),'Maximum allowed length is 50')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63972}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63972/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 546112e0a131ecd5b4db0125612e59ac</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.WareHouseMaster.user_enter_invalid_data_in_warehouse_master(WareHouseMaster.java:723) at ?.user Enter Invalid Data in warehouse Master(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:198) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot	PASSED	0.187 s
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification system enters  
the invalid data (Invalid data types)


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification system enters  
the invalid data (Invalid data types)

(F) check the functionality of the  
Warehouse Master






(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification system enters  
the invalid data (Invalid data types)


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification system enters  
the invalid data (Invalid data types)


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification system enters  
the invalid data (Invalid data types)


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification system enters  
the invalid data (Invalid data types)

(F) check the functionality of the  
Warehouse Master



Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status	Current Stage
Modify_HNKDesc	Modify_HNKAddress	1105415	1105474	1105414	98303324	9876543210	4654321	azentio@gmail.com	MEEE	Active		
HNK_DESC	HNK_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	azentio@gmail.com	MEEE	Active		
HNK_DESC	Return_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	return@gmail.com	MEEE	Active	MAKER	
HNK_DESC	Return_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	return@gmail.com	MEEE	Active	CHECKER	
HNK_DESC	Reject_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	reject@gmail.com	MEEE	Active	CHECKER	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification system enters  
the invalid data (Invalid data types)

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONE Banking**

Search the menu

Dashboard

Configurations

- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master
- Product master
- Principals indicator
- Transactions
- Reports

**Warehouse Master**

Description: Modify\_HNKDesc

Country: INDIA

Location: Thane

Phone 1: 9876543210

E-Mail: azentio@gmail.com

Status: ☒

Address: Modify\_HNKAddress

State: Maharashtra

Zip Code: PIN57946

Fax: 4654321

Contact Person: MEEE

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification system enters  
the invalid data (Invalid data types)

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONE Banking**

Search the menu

Dashboard

Configurations

- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master
- Product master
- Principals indicator
- Transactions
- Reports

**Warehouse Master**

Description: Modify\_HNKDesc

Country: INDIA

Location: Thane

Phone 1: 9876543210

E-Mail: azentio@gmail.com

Status: ☒

Address: Modify\_HNKAddress

State: Maharashtra

Zip Code: PIN57946

Fax: 4654321

Contact Person: MEEE

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify while modification system enters  
the invalid data (Invalid data types)

(F) check the functionality of the  
Warehouse Master

The screenshot displays the 'Warehouse Master' form in the AZENTIO ONE Banking application. The interface includes a top navigation bar with the AZENTIO logo, a search bar, and user profile information (Engl..., LOS, Aze...). A left sidebar menu lists various configuration and transaction options, with 'Warehouse Master' currently selected. The main form area is divided into two columns. The left column contains fields for 'Description' (with a value 'Modify\_HNKDesc'), 'Country' (set to 'INDIA'), 'Location' (set to 'Thane'), 'Phone 1' (set to '9876543210'), 'E-Mail' (set to 'azentio@gmail.com'), and a 'Status' toggle switch. The right column contains fields for 'Address' (with a value 'Mofify\_HNKAddress'), 'State' (set to 'Maharastra'), 'Zip Code' (set to 'PINS7946'), 'Fax', 'Contact Person' (set to 'MEEE'), and a 'Status' toggle switch. The form is designed for managing warehouse-related data within the banking system.