Cucumber Report

| *Start : Aug 25, 11:26:14.587 AM*	*End : Aug 25, 11:26:34.439 AM*	*Duration : 19.852 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 11 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	*IncentiveMaster Functionality*	1	1	0	0	19.852 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	IncentiveMaster Functionality	To verify Creation of Incentive Master record with invalid data	11	11	0	0	19.848 s

(F)- IncentiveMaster Functionality

| PASSED	DURATION - 19.852 s		Scenarios		Steps	
/ 11:26:14.587 AM // 11:26:34.439 AM /			Total - 1	1	Total - 11	11
			Pass - 1		Pass - 11	
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

(S)- To verify Creation of Incentive Master record with invalid data

PASSED	DURATION - 19.848 s		Steps	
/ 11:26:14.591 AM // 11:26:34.439 AM /			Total - 11	11
IncentiveMaster Functionality			Pass - 11	
@M4 @IncentiveMaster			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
2	And User Login as maker	PASSED	5.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Misc Config	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot 		
4	Then click on Incentive Master eye icon	PASSED	0.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot 		
5	Then click on Incentive Master add button	PASSED	1.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot 		
6	Then Enter Incentive code special character	PASSED	0.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Select Incentive Mode	PASSED	1.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
8	Then Select Incentive Type	PASSED	1.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
9	Then Select Incentive Computation on	PASSED	1.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
10	Then click on Incentive Master Save button	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Keep Incentive Description field blank	PASSED	0.043 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify Creation of Incentive Master
record with invalid data

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify Creation of Incentive Master
record with invalid data

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) To verify Creation of Incentive Master record with invalid data

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) To verify Creation of Incentive Master record with invalid data

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) To verify Creation of Incentive Master record with invalid data

(F) IncentiveMaster Functionality

List of Incentive Definition

Action	Description ↑↓	Incentive Mode ↑↓	Incentive Type ↑↓	Status ↑↓
✏ 👁	ok	57909	57887	Active
✏ 👁	TARGET TARGET	57907	57886	Active
✏ 👁	test123	57908	57887	Active
✏ 👁	Incentives 1	57909	57887	Active
✏ 👁	Desc	57909	57887	Active

Showing 1 to 5 of 6 entries   « < 1 2 > »   5 ∨

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) To verify Creation of Incentive Master record with invalid data

(F) IncentiveMaster Functionality

Incentive Definition

Incentive Definition

Incentive Code *
@!#$
Alphanumeric characters allowed

Description *

Description 2

Description 3

Incentive Mode *
Select

Incentive Type *
Select

Flat Amount

Percentage

Incentive Computation On *
Select

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify Creation of Incentive Master record with invalid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify Creation of Incentive Master record with invalid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify Creation of Incentive Master record with invalid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify Creation of Incentive Master record with invalid data	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify Creation of Incentive Master record with invalid data

(F) IncentiveMaster Functionality

Incentive Definition

Incentive Definition

Field	Value
Incentive Code *	@!#$

Alphanumeric characters allowed

Description *

Required field

Description 2

Description 3

Incentive Mode *
B

Incentive Type *
SIMPLE

Flat Amount

Percentage

Incentive Computation On *
AC

Please fill all the details