Cucumber Report

| Start : Jul 25, 2:08:22.809 PM	End : Jul 25, 2:08:51.907 PM	Duration : 29.098 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 16 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	1	0	0	29.098 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product master	Product Master - to check the functionality of list view buttons of approved records	16	16	0	0	29.090 s

(F)- Check the functionality of product master

PASSED	DURATION - 29.098 s	Scenarios		Steps	
/ 2:08:22.809 PM // 2:08:51.907 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 16 Pass - 16 Fail - 0 Skip - 0	16

## (S)- Product Master - to check the functionality of list view buttons of approved records

PASSED	DURATION - 29.090 s		Steps	
/ 2:08:22.817 PM // 2:08:51.907 PM /			Total - 16	
Check the functionality of product master			Pass - 16 Fail - 0	16
@M10			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.794 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
	+		
2	And User Login as maker	PASSED	5.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then user should navigate to product master	PASSED	0.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.482 s
	screenshot		
4	And click on eye icon of product master	PASSED	0.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.564 s
	screenshot		
5	Then verify product master details list view fields should display all the fields	PASSED	1.696 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
6	Then values in list view should not be editable	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify add button should allow to create new record	PASSED	1.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
8	Then verify search box should display matching record with matched data	PASSED	2.645 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
9	Then verify search box should not display any record with mismatched data	PASSED	1.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
10	Then click on export to pdf button system should download Pdf file	PASSED	0.833 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on export to excel button system should download Excel file	PASSED	0.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
12	Then system should show product group field and the field will display only	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
13	Then system should show product code field and the field will display only	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
14	Then system should show product description field and the field will display only	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then system should show retail or corporate field and the field will display only	PASSED	0.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
16	Then system should show status field and the field will display only	PASSED	0.067 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master