Cucumber Report

Start : Sep 21, 3:15:48.100 pm

End : Sep 21, 3:17:13.691 pm

Duration : 1 m 25.591 s

Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 12
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	check the functionality of Customer address details	1	0	1	0	1 m 25.591 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of Customer address details	verify system allow user to do a modification on already approved record	14	12	1	1	1 m 25.586 s

(F)- check the functionality of Customer address details

FAILED	DURATION - 1 m 25.591 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 3:15:48.100 pm // 3:17:13.691 pm /		Pass - 0	1	Pass - 12	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- verify system allow user to do a modification on already approved record

FAILED	DURATION - 1 m 25.586 s		Steps	
/ 3:15:48.105 pm // 3:17:13.691 pm /			Total - 14	14
check the functionality of Customer address details			Pass - 12	
@AT_CAD_07			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	17.710 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.113 s
	screenshot		
2	And user click on Inbox Icon	PASSED	0.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.895 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
4	And user Enter Customer Address details Application ID	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
5	And user click on First record of Appdata Entry	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.554 s
	screenshot		
6	And user click on Additional customer Info Tab	PASSED	2.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot		
7	And user click on First Record Edit Icon	PASSED	5.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.628 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user click on Address Information First Record Edit Icon	PASSED	7.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
9	And user Modify the Address type field	PASSED	2.581 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.543 s
	screenshot		
10	And user Modify the Address Status field	PASSED	0.670 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
11	And user Modify the Residental status field	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.479 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And user Modify the Province ID field	PASSED	0.867 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
13	And user Modify the City ID field	FAILED	1.130 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-ynl-c320="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label=" Yavatmal , City id *" ng-reflect-model="909935">...</ion-select> is not clickable at point (1475, 675). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated popover-bottom" id="ion-overlay-7" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20007; --width:792.016px;">...</ion-popover> (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f70e9a42acc893759a0f3e23599549e, clickElement {id=fdf8d6fe-7d33-4e76-b86b-2843b91feea3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55235}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55235/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0f70e9a42acc893759a0f3e23599549e)] -> xpath: //ion-label[text()=' City id ']/parent::ion-item//ion-select] Session ID: 0f70e9a42acc893759a0f3e23599549e
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.Customer_Address_Information.user_modify_the_city_id_field(Customer_Address_Information.java:603) at ?.user Modify the City ID field(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CustomerAddress_details.feature:88) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.303 s
14	And user click the update the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify system allow user to do a modification on already approved record

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify system allow user to do a modification on already approved record

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify system allow user to do a modification on already approved record

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify system allow user to do a modification on already approved record

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) verify system allow user to do a modification on already approved record	
(F) check the functionality of Customer address details	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) verify system allow user to do a modification on already approved record	
(F) check the functionality of Customer address details	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify system allow user to do a modification on already approved record

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify system allow user to do a modification on already approved record

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify system allow user to do a modification on already approved record

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify system allow user to do a modification on already approved record

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify system allow user to do a modification on already approved record

(F) check the functionality of Customer address details