


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	44.353 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify the Customer Address Information Parameter details	18	15	1	2	44.345 s
	Address Details screen	List view					

DETAILED SECTION -- 4 --

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 44.353 s	Scenarios		Steps	
		Total - 1		Total - 18	
7:51:41.082 PI	M // 7:52:25.435 PM /	Pass - 0	1	Pass - 15	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Verify the Customer Address Information Parameter details List view




#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.723 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot		
	AZENTIO Miles and Const.		
2	And User Login as maker	PASSED	4.052 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		

3 Then user should click on the menu toggle AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.j	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then click on inbox to search for the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s 0.236 s 0.236 s 0.236 s 0.237 s 0.237 s 0.238 s 0.252 s		### ANNIO ### 9 # 4 ## ## ### ### ##############		
Screenshot Then click on inbox to search for the Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) Screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) PASSED O.203 s	3		PASSED	
Then click on inbox to search for the Customer Address Details record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.252 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
Then click on inbox to search for the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.252 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.887 s PASSED O.252 s				
Screenshot Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.087 s PASSED 0.252 s	4	Then click on inbox to search for the Customer Address Details record	PASSED	0.185 s
Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.211 s 0.203 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
Then click on search button to search the record of Customer Address Details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s 0.203 s 0.203 s 0.203 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s 0.203 s PASSED 0.203 s 0.203 s		© 100 mm		
Screenshot 6 Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.087 s 0.252 s	5	Then click on search button to search the record of Customer Address Details	PASSED	0.211 s
6 Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.087 s 0.252 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
6 Then enter the reference id of the Customer Address Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.087 s 0.252 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.252 s				
	6	Then enter the reference id of the Customer Address Details record	PASSED	0.087 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
		screenshot		


#	Step / Hook Details	Status	Duration
	## Company of the com		
7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
	## CANADO ## OF THE CAN		
8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	0.677 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.505 s
	screenshot		
	The product the Content of Address details accord from the protein accord detail accord	DACCED	1 200 -
9	Then select the Customer Address details record from the customer personal detail screen	PASSED	1.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.545 s
10	Then Verify system should display mention fields on List view of Customer Address Information Parameter details	PASSED	1.882 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		


#	Step / Hook Details	Status	Duration
	ACTION OF THE PROPERTY OF THE		
11	Then Verify the values in List view should be non editable on List view of Customer Address details	PASSED	0.355 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
	AMOSE Status AM		
12	Then select the record of Address details from the customer identification screen	PASSED	1.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.518 s
	screenshot		
	### AFFECT Control Points Control Po		
13	Then Verify the functionality of Back button on List view of Customer Address details	PASSED	1.034 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
	ACCESSION OF THE PROPERTY OF T		
14	Then click on export to pdf button system should download Pdf file of Customer Address details	PASSED	1.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
	screenshot		

#	Step / Hook Details	Status	Duration
	ATTAINT OF THE PARTY OF THE PAR		
15	Then click on export to excel button system should download Excel file of Customer Address details	PASSED	0.716 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
	A STATE		
16	Then verify search box should display matching record with matched data of Customer Address details	FAILED	12.970 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (60d315cb425d44304a9320f6d28ef1ba)] -> xpath: //div/span/i] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.CustomerAddressDetails. verify_search_box_should_display_matching_record_with_matched_data_of_customer_address_details(CustomerAddressDetails.java:545) at ?.verify search box should display matching record with matched data of Customer Address details(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:106) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
	ASANTO ST SP ST		
17	Then verify search box should not display any record with mismatched data of Customer Address details	SKIPPED	0.000 s
18	Then Verify the functionality of add button	SKIPPED	0.000 s




EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

