


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	1	0	0	45.458 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	TO verify user can able to serach the list view record with	15	15	0	0	45.449 s
	Warehouse Master	matching and un matching input and user can able to *					

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

(F)- check the functionality of the Warehouse Master

PASSED	DURATION - 45.458 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 5:43:41.541 pm	// 5:44:26.999 pm /	Pass - 1	1	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- TO verify user can able to serach the list view record with matching and un matching input and user can able to download the the xls and pdf format file

PASSED DURATION - 45.449 s	15	-	-	ļ	-	-1 -		-1-		-			-1-		1-	- + -	-	Steps			
/ 5:43:41.550 pm // 5:44:26.999 pm /	10	-	_	<u> </u>	- -	-!-		-!-										Total - 15			
check the functionality of the Warehouse Master	5	- -	-	ļ 														Pass - 15 Fail - 0		15	
@WareHouse2_AT_WHM_T011	_ o	_		<u>.</u>	-	<u>-</u>	-	<u>+</u>	<u> </u>		-	+	<u>+</u>	_	-	<u> </u>	_	Skip - 0	\		
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	16.274 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.535 s
	screenshot		
	# # # # # # # # # # # # # # # # # # #		
2	And go to configuration main menu	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.460 s
	screenshot		


#	Step / Hook Details	Status	Duration
	A AZENTO TO SERVICE TO SERV		
3	And Go to config manager main menu	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
	A AZENTO IN SECTION IN SECTI		
4	And click on view button in ware house master	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.502 s
	screenshot Approximately a second se	_	
5	And click on search button in ware house list view	PASSED	0.625 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.273 s
6	And enter the matching data in search test box	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot	1	


#	Step / Hook Details	Status	Duration
	# 2 P P P P P P P P P P P P P P P P P P		
7	Then verify user can able to see the matching records	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
	ADSITIO IN SECURITY OF THE SEC		
8	And enter invalid text inputin search box	PASSED	0.792 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
	*** *** *** *** *** *** *** *** *** **		
9	Then verify system should not show the result for the un matched record	PASSED	1.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
	ADDATIO IN SECURITY IN SECURI		
10	And click on export button	PASSED	0.077 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.400 s
	screenshot		

11 And choose xls format to download the Xls file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 12 Then verify xls file is downloded in download section AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And click on export button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.303 s		## CASE-PTO ## P F # 500 00 00 00 0 0 0 0 0 0 0 0 0 0 0 0		
screenshot 12 Then verify xls file is download section AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 13 And click on export button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.009 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s 0.321 s	11	And choose xls format to download the Xls file	PASSED	0.464 s
12 Then verify xis file is download section AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And click on export button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.773 s PASSED 6.773 s PASSED 0.191 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.303 s 13 And click on export button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.303 s 0.303 s PASSED 0.109 s 0.321 s 0.321 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.303 s 13 And click on export button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.303 s 0.303 s PASSED 0.109 s 0.321 s 0.321 s		## CASE-PRO ## OF PR 90 00 00 00 00 00 00 00 00 00 00 00 00		
Screenshot 13 And click on export button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.773 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s 0.321 s	12	Then verify xls file is downloded in download section	PASSED	0.009 s
13 And click on export button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.773 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s 0.321 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.321 s 6.773 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.31 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.321 s 6.773 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED 0.321 s		## CASE-PRO ## OF PR 90 00 00 00 00 00 00 00 00 00 00 00 00		
screenshot 14 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s	13	And click on export button	PASSED	0.109 s
14 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
14 And choose pdf format to download pdf file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s		## CASCAPTION ## OF P # CASCAPTION ## OF P		
	14	And choose pdf format to download pdf file	PASSED	6.773 s
screenshot			PASSED	0.191 s
		screenshot]	


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	## CENTRO ## ## ## ## ## ## ## ## ## ## ## ## ##		
15	Then verify pdf file is downloded in download section	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
	## 1		







EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

