

# Cucumber Report

22 Feb 2023, 2:37:52 PM

Start : Feb 22, 2:37:05.348 PM

End : Feb 22, 2:37:51.034 PM

Duration : 45.686 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 19







| # | Feature Name  | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>To verify the functionalities of report master</u> | 1 | 0 | 1 | 0 | 45.686 s |







| # | Feature Name  | Scenario Name  | T  | P | F | S  | Duration |
|---|---|--|----|---|---|----|----------|
| 1 | <u>To verify the functionalities of report master</u> | <u>To verify system allow user to do a modification on already approved record</u> | 28 | 8 | 1 | 19 | 45.681 s |





**(F)- To verify the functionalities of report master**



|                                      |                            |  |   |  |   |
|--------------------------------------|----------------------------|--|---|--|---|
| <b>FAILED</b>                        | <b>DURATION - 45.686 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 28<br>Pass - 8<br>Fail - 1<br>Skip - 19 |  |
| / 2:37:05.348 PM // 2:37:51.034 PM / |                            |  |   |  |   |

**(S)- To verify system allow user to do a modification on already approved record**


|  |  |  |   |   |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 45.681 s</div> |  |  | <div>Steps</div> <div>Total - 28</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 19</div> |  |
| / 2:37:05.353 PM // 2:37:51.034 PM /             |  |  |   |   |
| To verify the functionalities of report master   |  |  |   |   |
| @AT_RA_007                                       |  |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to ULS application URL   | PASSED | 10.003 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.729 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | Then login with valid maker credentials   | PASSED | 8.895 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.584 s  |
|   | screenshot  |        |          |
|   |  |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 3 | And go to configuration main menu   | PASSED | 0.143 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.277 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 4 | And click on config Manager main module   | PASSED | 0.203 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.271 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 5 | And Click the Eye icon of report master   | PASSED | 0.357 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.641 s  |
|   | screenshot  |        |          |
|   |   |        |          |
| 6 | And click on approved records button of report master                               | PASSED | 0.219 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.398 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 7 | Then click on edit button of report master record to modify                         | PASSED | 2.030 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.733 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   |   |        |          |
| 8 | Then verify system allow user to do a modification on already approved report master record  | PASSED | 4.330 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.636 s  |
|   | screenshot<br>  |        |          |
| 9 | Then verify system display the confirmation message in the report master screen post clicking on save button<br><br>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//body/div/div/div/div[1])[1]' (tried for 10 second(s) with 500 milliseconds interval)<br>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)<br>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:91)<br>at stepdefinitions.ULS_ReportMasterSteps.<br>verify_system_display_the_confirmation_message_in_the_report_master_screen_post_clicking_on_save_button(ULS_ReportMasterSteps.java:2313)<br>at ?.verify system display the confirmation message in the report master screen post clicking on save button(file:///C:/Users/ININDC00076/git/Azentio_ULS/AzentioULSFramework_Anandh/src/test/java/features/ReportMaster.feature:181)<br>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//body/div/div/div/div[1])[1]"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.56', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d329f1062364d37f01acbd727762ec76, findElement {using=xpath, value=(//body/div/div/div/div[1])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:54195}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54195/devtoo..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d329f1062364d37f01acbd727762ec76<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | FAILED | 10.703 s |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:91) at stepdefinitions.ULS_ReportMasterSteps. verify_system_display_the_confirmation_message_in_the_report_master_screen_post_clicking_on_save_button(ULS_ReportMasterSteps. java:2313) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) </pre> |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | <pre> at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED  | 0.425 s  |
|    | screenshot   |         |          |
|    |    |         |          |
| 10 | Then confirmation message displays in the report master screen with reference id   | SKIPPED | 0.000 s  |
| 11 | Then click on inbox button to select the record of report master   | SKIPPED | 0.001 s  |
| 12 | And select the record of report master from inbox to submit  | SKIPPED | 0.000 s  |
| 13 | Then click on submit button to submit the record of report master  | SKIPPED | 0.000 s  |
| 14 | Then system should display confirmation message after submit report master record  | SKIPPED | 0.001 s  |
| 15 | Then capture checker ID of report master   | SKIPPED | 0.000 s  |
| 16 | Then logout user from maker stage  | SKIPPED | 0.000 s  |
| 17 | And User Login as checker to approve report master record  | SKIPPED | 0.001 s  |
| 18 | Then click on inbox button to select the record of report master   | SKIPPED | 0.000 s  |




| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
| 19 | Then select the record of report master to approve  | SKIPPED | 0.001 s  |
| 20 | Then select approve button for approve the report master record   | SKIPPED | 0.001 s  |
| 21 | Then enter remark for approve the record of report master   | SKIPPED | 0.001 s  |
| 22 | Then click on approve button of the report master record  | SKIPPED | 0.000 s  |
| 23 | Then system should display confirmation message after approve the report master record                                | SKIPPED | 0.000 s  |
| 24 | Then logout user from checker stage   | SKIPPED | 0.001 s  |
| 25 | And User Login as maker   | SKIPPED | 0.000 s  |
| 26 | Then user should navigate to report master  | SKIPPED | 0.001 s  |
| 27 | And click on approved records button of report master   | SKIPPED | 0.000 s  |
| 28 | Then verify all the captured modified data of report master from makers side should be saved and stored in the system | SKIPPED | 0.001 s  |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to do a  
modification on already approved record


(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to do a  
modification on already approved record


(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to do a  
modification on already approved record


(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to do a  
modification on already approved record


(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to do a  
modification on already approved record

(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to do a  
modification on already approved record

(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to do a  
modification on already approved record

(F) To verify the functionalities of report  
master

The screenshot shows the 'Report Master - List View' interface. On the left is a blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations' (with sub-items: Allocation Master, Allocation Details, Risk Rating Master, Insurance Master, UnderwriterOffsetControl, digitaldocumentmaster, Deposit Account Master, Risk Type Master, Project Master, Notification Master, Report Master), 'Transactions', and 'Reports'. The main area displays a table with columns: Action, Report Name, Description, Report Type, and Status. There are four rows of data, all with 'Active' status. A search bar at the top right contains 'name' and an 'Export' button. At the bottom right, it says 'Showing 1 to 4 of 4 entries' with pagination controls.

| Action | Report Name | Description | Report Type | Status |
|--------|-------------|-------------|-------------|--------|
|        | rname3      | rdesc3      | 57448       | Active |
|        | rname2      | rdesc2      | 57945       | Active |
|        | rname1      | rDesc1      | 57448       | Active |
|        | rname1      | rdesc       | 57945       | Active |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to do a  
modification on already approved record

(F) To verify the functionalities of report  
master

The screenshot shows the 'Report Master' edit view. The sidebar is identical to the previous screenshot. The main area has a breadcrumb 'Report Master' and a 'Report Group Master' dropdown. Below is a form with fields for 'Report Name' (with a sub-field 'rname3reportName' and a note 'only character allowed'), 'Report Description' (with a sub-field 'ModifyRDesc'), 'Report Category' (set to 'MISR'), 'Report Type' (set to 'BIR'), 'Report Name 2' (with a sub-field 'ModifyRname'), 'Report Name 3' (with a sub-field 'ModifyRname'), and 'Report Uri' (set to 'www.xyz.com'). There is a 'Status' toggle switch. Below the form is a 'Report Parameter Details' section with a table. At the bottom right, there is a search bar and an 'Export' button.

| TEMPLATE | Action | Sequence Number | Description | Parameter Name | Is Mandatory | Status    |
|----------|--------|-----------------|-------------|----------------|--------------|-----------|
|          |        | 10              | ddd         | fff            | N            | Active    |
|          |        | 322222          | Change      | Change         | N            | In-active |
|          |        | 10              | @@          | bvdy66@@6      | Y            | Active    |
|          |        | 1               | Cif id      | p_in_cifid     |              | Active    |

(F) To verify the functionalities of report master

**AZENTIO**
27-Dec-2022   📅   ✉️   🗑️   En<sup>g</sup>l...   LOS...   Aze...   👤

Search the menu

- Dashboard
- Configurations
  - Allocation Master
  - Allocation Details
  - Risk Rating Master
  - Insurance Master
  - UnderwriterOffsetControl
  - DigitalDocumentMaster
  - Deposit Account Master
  - Risk Type Master
  - Project Master
  - Notification Master
  - Report Master**
- Transactions
- Reports

← Report Master   Report Group Master
🔖   ⋮

## Report Master

Report Name \*

Report Name 2 \*

Report Name 3 \*

Report Description

Report Type \*

BIR

Report Url \*

Report Category \*

MISR

Status

⬢

### Report Parameter Details

| Action | Sequence Number | Description | Parameter Name | Is Mandatory | Status    |
|--------|-----------------|-------------|----------------|--------------|-----------|
|        | 10              | ddd         | fff            | N            | Active    |
|        | 322222          | Change      | Change         | N            | In active |
|        | 10              | @@          | bvxy66@@6      | Y            | Active    |
|        | 1               | Cif id      | p_in_cfid      |              | Active    |
|        | 1               | Cif id      | p_in_cfid      |              | Active    |