


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details	1	0	1	0	34.201 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	verify the functionality of save button post entering all valid	21	11	1	9	34.197 s
	Address Details	details and clicking on save button					

DETAILED SECTION -- 4 --

## **(F)-** Check the functionality of Customer Address Details

FAILED	DURATION - 34.201 s	Scenarios		Steps	
		Total - 1		Total - 21	
/1:32:53.433	AM // 1:33:27.634 AM /	Pass - 0	1	Pass - 11	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## (S)- verify the functionality of save button post entering all valid details and clicking on save button

FAILED DURATION - 34.197 s	10	
/ 1:32:53.437 AM // 1:33:27.634 AM /	8	
Check the functionality of Customer Address	Pass - 11	21
Details	2	
@AT_CAD_002	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.014 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
	AZENTIO  Hillians 1		
2	And User Login as maker	PASSED	5.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		


3 Then click on inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then click on inbox search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.221 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.109 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.130 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.110 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then click on inbox search icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then search Customer Address Details record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.130 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.101 s		The state of the s		
screenshot  4 Then click on inbox search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.130 s  PASSED  0.110 s	3	Then click on inbox	PASSED	0.208 s
4 Then click on inbox search icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then search Customer Address Details record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.109 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.130 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.110 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
4 Then click on inbox search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 1.130 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.110 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.130 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.140 s		Grand Man  Separation of the s		
Screenshot  Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.130 s  PASSED  0.110 s	4	Then click on inbox search icon	PASSED	0.221 s
5 Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.130 s  PASSED  0.110 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
5 Then search Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.130 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.110 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.130 s  PASSED  0.102 s		Company   Comp		
Screenshot  6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.110 s	5	Then search Customer Address Details record	PASSED	0.109 s
6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.110 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
6 And maker user open the record from inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.110 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.110 s				
	6	And maker user open the record from inbox	PASSED	1.130 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
		screenshot		


#	Step / Hook Details	Status	Duration
	CONTROL OF SHEET SECTION SHEET		
7	Then click on Additional customer info Segment button	PASSED	1.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	screenshot		
	A SENTICE  THE STATE OF THE STA		
8	Then click on Action button of Customer Personal Information	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.377 s
	screenshot	-	
	A DESTRUCTION OF THE PROPERTY		
9	Then from customer identification screen click on add button of Address details	PASSED	1.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	screenshot		
	TO B P I NO DE SE DE LE SE DE		
10	Then select Address Type	PASSED	1.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		

#	Step / Hook Details	Status	Duration
	ALACTIC  CONTROL OF THE PROPERTY OF THE PROPER		
11	Then select Address Status	PASSED	1.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
	ALTERY CONTROL OF THE PROPERTY		
12	Then select Residential or Occupancy Status	FAILED	10.554 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (31f8b58e5947fa71b692cf0faff5063b)] -> xpath: //ion-label[contains(text(),'Self owned')]//ion-radio] (tried for 10 second(s) with 1000 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Customer_AddressDetails.select_residential_or_occupancy_status(Customer_AddressDetails.java:94) at ?.select Residential or Occupancy Status(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Customer_AddressDetails.feature:17) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		
	ASSESTED  OF SIGNATURE  OF SIG		
13	Then Enter Address Line1	SKIPPED	0.000 s
14	Then Enter Address Line2	SKIPPED	0.000 s
15	Then select Country	SKIPPED	0.000 s
16	Then select Province ID	SKIPPED	0.000 s


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
17	Then Enter Neighbourhood District Name	SKIPPED	0.000 s
18	Then select City ID	SKIPPED	0.000 s
19	Then Enter Zip Code	SKIPPED	0.001 s
20	Then Enter Mobile Number primary	SKIPPED	0.000 s
21	Then Enter Occupancy Date	SKIPPED	0.000 s







**EXPANDED SECTION** 



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

